

Adapter (tapered) 1/2x28 UNEF

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(tapered\) 1/2x28 UNEF](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012621
- Mfr. No.: SB02003
- Colour: Black
- Material: Chrom-Nickel
- Thread: 1/2x28 UNEF
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Tapered) 1/2x28 UNEF
- About Us

Safety Instruction Guide for Adapter (Tapered) 1/2x28 UNEF

Introduction

Thank you for purchasing the Adapter (Tapered) 1/2x28 UNEF. This guide provides essential safety instructions to ensure the safe and effective use of the product. Please read this manual carefully before use to understand the safety precautions and proper installation procedures.

General Safety Guidelines

- Always ensure that the Adapter is compatible with your equipment before use.
- Inspect the Adapter for any visible damage or defects before installation.
- Keep the Adapter out of reach of children and vulnerable individuals.
- Use the Adapter only for its intended purpose as described in this manual.
- Follow all local laws and regulations regarding the use of firearm accessories.
- Report any unsafe conditions or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before attaching or detaching the Adapter.
- Use caution when handling the Adapter to avoid injury from sharp edges.
- Do not exceed the recommended torque when using the joint hook wrench to avoid damaging the Adapter or the firearm.
- Always wear appropriate safety gear, including eye protection, when using firearms.
- If you experience any unusual noises or resistance during installation or use, stop immediately and inspect the Adapter.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather the necessary tools, including a joint hook wrench with a 29mm diameter pin.

2. Installation:

- Align the Adapter with the muzzle thread of the firearm.
- Using the joint hook wrench, carefully screw the Adapter onto the muzzle thread.
- Do not overtighten; ensure that the Adapter is securely fastened without excessive force.

3. Usage:

- Once installed, you can use the Adapter as intended with the Sinus Brake/Benchrest Barrel Tuner.
- Regularly check the Adapter for tightness and signs of wear during use.

4. Removal:

- To remove the Adapter, use the joint hook wrench to unscrew it from the muzzle thread.
- Store the Adapter in a safe place when not in use.

Disposal Instructions

- Dispose of the Adapter in accordance with local regulations.
- Do not dispose of the Adapter in regular household waste.
- Consider recycling options for metal components where available.

Contact Information for Further Support

For any inquiries or additional support regarding the Adapter (Tapered) 1/2x28 UNEF, please refer to the product packaging for contact details or visit the manufacturer's website.

By following these safety instructions, you can ensure a safe and effective experience with your Adapter. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk