

# Adapter (tapered) 5/8x24 UNEF

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Adapter \(tapered\) 5/8x24 UNEF](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012624
- Mfr. No.: SB02009
- Colour: Black
- Material: Chrom-Nickel
- Thread: 5/8x24 UNEF
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Tapered) 5/8x24 UNEF
- About Us

# Safety Instruction Guide for Adapter (Tapered) 5/8x24 UNEF

## Introduction

Thank you for choosing the Adapter (Tapered) 5/8x24 UNEF. This guide provides essential safety instructions and guidelines to ensure the safe use of the product. Please read this document carefully before using the adapter to ensure proper handling and installation.

## General Safety Guidelines

- Always ensure you are using the adapter in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Inspect the adapter for any signs of damage or wear before use. Do not use if damaged.
- Use only the recommended joint hook wrench with a 29mm diameter pin for installation.
- Do not attempt to modify or alter the adapter in any way.
- Always wear appropriate safety gear when handling tools and equipment.

## Specific Safety Precautions for Use

- Ensure the muzzle thread is clean and free from debris before installation.
- Do not exceed the recommended torque when securing the adapter to avoid damaging the threads.
- Use the adapter only for its intended purpose with the Sinus Brake/Benchrest Barrel Tuner.
- Avoid using the adapter in wet or damp conditions to prevent slippage.
- If you experience any difficulties while using the adapter, stop immediately and consult a professional.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including the joint hook wrench with a 29mm diameter pin.
- Ensure the work area is clean and welllit.

### 2. Installation Steps

- Clean the muzzle thread thoroughly to ensure proper fit.
- Align the adapter with the muzzle thread.
- Using the joint hook wrench, carefully screw the adapter onto the muzzle thread.
- Ensure the adapter is securely fastened but do not overtighten.

### 3. Usage

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner.
- Follow the operating instructions provided with the tuner for optimal performance.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the adapter in regular household waste.
- If the product is no longer usable, consider recycling it where facilities are available.

## **Contact Information for Further Support**

For any safety inquiries or concerns regarding the Adapter (Tapered) 5/8x24 UNEF, please refer to the manufacturer's official contact points. Ensure you have the product details ready for efficient assistance.

By following these guidelines, you contribute to a safer environment for yourself and others. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)