

# Adapter (tapered) M19x1

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Adapter \(tapered\) M19x1](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012627
- Mfr. No.: SB02016
- Colour: Black
- Material: Chrom-Nickel
- Thread: M19x1
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Tapered) M19x1
- About Us

# Safety Instruction Guide for Adapter (Tapered) M19x1

## Introduction

Thank you for choosing the Adapter (Tapered) M19x1. This guide provides essential safety instructions and usage information to ensure the safe and effective use of the product. Please read this manual carefully before using the adapter.

## General Safety Guidelines

- Ensure that the adapter is used only for its intended purpose as specified in this guide.
- Always inspect the adapter for any signs of damage or wear before each use.
- Keep the adapter out of reach of children and vulnerable individuals to prevent accidental injury.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Use a joint hook wrench with a 29mm diameter pin to securely fit the adapter onto the muzzle thread.
- Do not exceed the recommended torque specifications when tightening the adapter to prevent damage.
- Avoid using the adapter in wet or damp conditions to reduce the risk of slipping or injury.
- Ensure that the adapter is compatible with your specific model of the Sinus Brake/Benchrest Barrel Tuner before use.
- Always wear appropriate personal protective equipment (PPE) such as safety glasses when using tools in conjunction with the adapter.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the muzzle thread is clean and free from debris.
- Gather the necessary tools, including a joint hook wrench with a 29mm diameter pin.

### 2. Installation:

- Align the Adapter (Tapered) M19x1 with the muzzle thread.
- Carefully screw the adapter onto the muzzle thread by hand until it is snug.
- Use the joint hook wrench to tighten the adapter securely, ensuring not to overtighten.

### 3. Usage:

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner as per the manufacturer's instructions.
- Regularly check the connection between the adapter and the muzzle thread during use to ensure it remains secure.

### 4. PostUsage:

- After use, remove the adapter by reversing the installation process.
- Store the adapter in a dry and safe location to prevent damage.

## **Disposal Instructions**

- When the Adapter (Tapered) M19x1 reaches the end of its life or is no longer usable, dispose of it in accordance with local regulations for metal waste.
- Do not dispose of the adapter in general household waste to minimize environmental impact.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the Adapter (Tapered) M19x1, please refer to the manufacturer's contact information provided on the product packaging or visit the manufacturer's website.

Thank you for your attention to these safety guidelines. Your safety is our priority, and we appreciate your commitment to using the Adapter (Tapered) M19x1 responsibly.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)