

Adapter (tapered) 3/4x24 UNS

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Conical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(tapered\) 3/4x24 UNS](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012628
- Mfr. No.: SB02018
- Colour: Black
- Material: Chrom-Nickel
- Thread: 3/4x24 UNS
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (tapered) 3/4x24 UNS
- About Us

Safety Instruction Guide for Adapter (tapered) 3/4x24 UNS

Introduction

Thank you for purchasing the Adapter (tapered) 3/4x24 UNS. This product is designed to be used with the Sinus Brake/Benchrest Barrel Tuner. Please read this safety instruction guide carefully to ensure safe use and compliance with EU safety regulations.

General Safety Guidelines

- Always ensure that the adapter is compatible with your specific equipment before use.
- Inspect the adapter for any visible damage or defects before installation.
- Keep the adapter out of reach of children and vulnerable individuals.
- Use the adapter only for its intended purpose as specified by the manufacturer.
- Report any unsafe product issues or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure that the joint hook wrench with a 29mm diameter pin is used to install the adapter securely.
- Do not overtorque the adapter during installation as this may cause damage.
- Avoid using the adapter in wet or damp conditions to prevent slipping.
- Store the adapter in a dry and safe location when not in use.
- If you experience any unusual noise or movement during use, stop immediately and inspect the adapter.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the joint hook wrench with a 29mm diameter pin.
- Ensure that the work area is clean and free from obstructions.

2. Installation:

- Align the adapter with the muzzle thread of your barrel.
- Using the joint hook wrench, carefully screw the adapter onto the muzzle thread until secure.
- Ensure that the adapter is tightly fitted but avoid overtightening.

3. Usage:

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner.
- Monitor the adapter during use for any signs of wear or damage.

4. PostUsage:

- After use, remove the adapter by unscrewing it from the muzzle thread.
- Clean the adapter if necessary and store it in a safe location.

Disposal Instructions

- Dispose of the adapter in accordance with local regulations regarding metal waste.
- Do not dispose of the adapter in regular household waste to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of the Adapter (tapered) 3/4x24 UNS, please refer to the manufacturer's contact information provided on the packaging or product documentation.

Thank you for your attention to these safety guidelines. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk