

# Adapter (cylindrical) 1/2x20 UNF

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Cylindrical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Adapter \(cylindrical\) 1/2x20 UNF](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012631
- Mfr. No.: SB02002
- Colour: Black
- Material: Chrom-Nickel
- Thread: 1/2x20 UNF
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- Startpage
- Safety Instruction Guide for the Adapter (Cylindrical) 1/2x20 UNF
- About Us

# Safety Instruction Guide for the Adapter (Cylindrical) 1/2x20 UNF

## Introduction

Thank you for purchasing the Adapter (Cylindrical) 1/2x20 UNF. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this manual carefully before using the adapter.

## General Safety Guidelines

- Always ensure that the adapter is used in accordance with the manufacturer's instructions.
- Inspect the adapter for any signs of damage or wear before each use.
- Keep the adapter out of reach of children and vulnerable individuals.
- Use the adapter only for its intended purpose, as specified in this guide.
- If you experience any issues or malfunctions, discontinue use immediately and seek assistance.

## Specific Safety Precautions for Use

- Ensure the joint hook wrench used to fit the adapter has a 29mm diameter pin.
- Do not exceed the recommended torque specifications when tightening the adapter.
- Avoid using the adapter in wet or damp conditions to prevent slipping or accidents.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses, when using the adapter.
- Be cautious of sharp edges or points that may cause injury during installation or removal.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure that the muzzle thread of your firearm is clean and free from debris.
- Gather the necessary tools, including the joint hook wrench with a 29mm diameter pin.

### 2. Installation:

- Align the adapter with the muzzle thread.
- Carefully screw the adapter onto the muzzle thread by turning it clockwise.
- Use the joint hook wrench to tighten the adapter securely without overtorquing.

### 3. Usage:

- Once installed, the adapter is ready for use with the Sinus Brake/Benchrest Barrel Tuner.
- Regularly check the tightness of the adapter during use to ensure it remains secure.

### 4. Removal:

- To remove the adapter, use the joint hook wrench to unscrew it counterclockwise.
- Store the adapter in a safe place when not in use.

## Disposal Instructions

- Dispose of the adapter in accordance with local regulations.
- Do not dispose of the adapter in regular household waste.

- Consider recycling options if available.

## Contact Information for Further Support

For any inquiries regarding safety or product usage, please refer to the manufacturer's contact information included with the product packaging. Ensure you have the product details ready for efficient assistance.

By following these guidelines, you can ensure a safe and effective experience with the Adapter (Cylindrical) 1/2x20 UNF. Thank you for prioritizing safety.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)