

## Adapter (cylindrical) 1/2x28 UNEF

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Cylindrical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE  
AVAILABLE

### Attributes

- Name: [Adapter \(cylindrical\) 1/2x28 UNEF](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012632
- Mfr. No.: SB02004
- Colour: Black
- Material: Chrom-Nickel
- Thread: 1/2x28 UNEF
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the Adapter \(Cylindrical\) 1/2x28 UNEF](#)
- [About Us](#)

# Safety Instruction Guide for the Adapter (Cylindrical) 1/2x28 UNEF

## Introduction

Thank you for choosing the Adapter (Cylindrical) 1/2x28 UNEF. This guide provides essential safety instructions and usage information to ensure the safe operation of this product. Please read this document carefully before use.

## General Safety Guidelines

- Ensure that the adapter is compatible with your equipment before installation.
- Always use the adapter as intended and follow the manufacturer's recommendations.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the adapter for any signs of wear or damage before each use.
- If you encounter any issues or suspect that the product is unsafe, cease use immediately and seek assistance.

## Specific Safety Precautions for Use

- **Hazard Identification:** Potential risk of injury if the adapter is not properly installed or used. Risk of damage to the equipment if the adapter is not compatible.
- **Avoiding Hazards:** Use a joint hook wrench with a 29mm diameter pin as specified for installation. Do not force the adapter onto the muzzle thread; ensure proper alignment. Do not exceed the recommended torque specifications during installation.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather the necessary tools, including a joint hook wrench with a 29mm diameter pin.
- Ensure the work area is clean and free of obstructions.

### 2. Installation:

- Align the adapter with the muzzle thread of your equipment.
- Gently screw the adapter onto the thread, ensuring it is straight and secure.
- Use the joint hook wrench to tighten the adapter, but do not overtighten.

### 3. Usage:

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner.
- Regularly check the tightness of the adapter during use to ensure safety.

### 4. PostUsage:

- After use, inspect the adapter for any signs of wear or damage.
- Store the adapter in a dry, safe place away from direct sunlight and moisture.

## Disposal Instructions

- Dispose of the adapter in accordance with local regulations for metal products.
- Do not dispose of the adapter in household waste. Instead, consider recycling options available in your area.

area.

## **Contact Information for Further Support**

For any inquiries or concerns regarding safety or usage, please reach out to the manufacturer's customer support. Ensure you have the product details ready for efficient assistance.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)