

Adapter (cylindrical) M18x1 Victrix

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Cylindrical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(cylindrical\) M18x1 Victrix](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012638
- Mfr. No.: SB02024
- Colour: Black
- Material: Chrom-Nickel
- Thread: M18x1 Victrix
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Cylindrical) M18x1 Victrix
- About Us

Safety Instruction Guide for Adapter (Cylindrical) M18x1 Victrix

Introduction

Thank you for choosing the Adapter (Cylindrical) M18x1 Victrix. This guide provides essential safety instructions to ensure the safe use and installation of the product. Please read this document carefully before using the adapter.

General Safety Guidelines

- Always use the adapter in accordance with the manufacturer's instructions.
- Inspect the adapter for any visible damage before use. Do not use if damaged.
- Ensure that the adapter is compatible with your equipment before installation.
- Keep the adapter out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the relevant authorities.
- Stay informed about any recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Only use the adapter with the Sinus Brake/Benchrest Barrel Tuner as intended.
- Use a joint hook wrench with a 29mm diameter pin to fit the adapter securely.
- Avoid using excessive force when tightening or loosening the adapter to prevent damage.
- Do not modify the adapter in any way, as this may compromise safety.
- Always wear appropriate personal protective equipment (PPE) when handling the adapter.

Instructions for Installation and Usage

1. Preparation

- Ensure the muzzle thread is clean and free of debris.
- Gather necessary tools, including a joint hook wrench with a 29mm diameter pin.

2. Installation

- Align the adapter with the muzzle thread.
- Carefully screw the adapter onto the muzzle thread until it is handtight.
- Use the joint hook wrench to further tighten the adapter, ensuring it is secure but not overtightened.

3. Usage

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner as specified in the product instructions.
- Regularly check the tightness of the adapter during use to ensure it remains secure.

4. Removal

- To remove the adapter, use the joint hook wrench to unscrew it from the muzzle thread.
- Store the adapter in a safe place when not in use.

Disposal Instructions

- Dispose of the adapter in accordance with local regulations.
- Do not dispose of the adapter with regular household waste.
- If the adapter is damaged or no longer usable, consider recycling options available in your area.

Contact Information for Further Support

For any inquiries regarding safety or usage, please reach out to the manufacturer or authorized distributor. Ensure to have the product details ready for a more efficient response.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk