

Adapter (cylindrical) M19x1

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Cylindrical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(cylindrical\) M19x1](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012639
- Mfr. No.: SB02017
- Colour: Black
- Material: Chrom-Nickel
- Thread: M19x1
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- Startpage
- Safety Instruction Guide for Adapter (Cylindrical) M19x1
- About Us

Safety Instruction Guide for Adapter (Cylindrical) M19x1

Introduction

Thank you for purchasing the Adapter (Cylindrical) M19x1. This guide provides essential safety instructions and information to ensure the safe and effective use of this product. Please read this guide carefully and keep it for future reference.

General Safety Guidelines

- Ensure safe use of the Adapter by following these guidelines:
 - Always use the Adapter as intended and according to the instructions provided.
 - Regularly inspect the Adapter for any signs of damage or wear. If damaged, do not use it.
 - Keep the Adapter out of reach of children and vulnerable individuals.
 - Use protective gear, such as gloves, if necessary, when handling the Adapter.
 - Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Before using the Adapter, consider the following safety precautions:
 - Verify that the Adapter is compatible with your specific equipment.
 - Ensure that the joint hook wrench used to fit the Adapter has a 29mm diameter pin.
 - Do not exceed the recommended torque when securing the Adapter to prevent damage.
 - Avoid using excessive force when installing or removing the Adapter.
 - Be cautious of sharp edges or points during installation and removal.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including the joint hook wrench with a 29mm diameter pin.
- Ensure the work area is clean and free from obstructions.

2. Installation:

- Align the Adapter with the muzzle thread of your equipment.
- Carefully screw the Adapter onto the muzzle thread, ensuring it is properly aligned.
- Use the joint hook wrench to tighten the Adapter securely, but do not overtighten.

3. Usage:

- Once installed, the Adapter is ready for use with the Sinus Brake/Benchrest Barrel Tuner.
- Monitor the Adapter during use for any signs of loosening or damage.

4. Removal:

- To remove the Adapter, use the joint hook wrench to unscrew it from the muzzle thread.
- Store the Adapter in a safe place when not in use.

Disposal Instructions

- Dispose of the Adapter in accordance with local regulations.

- Do not dispose of the Adapter in household waste if it contains hazardous materials.
- Consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the Adapter (Cylindrical) M19x1, please refer to the manufacturer's contact information available on the product packaging or website.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk