

Adapter (cylindrical) 3/4x24 UNS

[Rifle Parts](#) > [Stock Parts](#) > [Stock Hardware](#) > [Adapter](#)

Cylindrical thread adapter for the Sinus Brake/Benchrest Barrel Tuner which is screwed onto the muzzle thread. A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Note: Please order this separately

NO IMAGE
AVAILABLE

Attributes

- Name: [Adapter \(cylindrical\) 3/4x24 UNS](#)
- Manufacturer: [SINUS BRAKE](#)
- Product no.: EU2012640
- Mfr. No.: SB02019
- Colour: Black
- Material: Chrom-Nickel
- Thread: 3/4x24 UNS
- Delivery weight: 0.05kg
- Shipping height: 29mm
- Shipping width: 29mm
- Shipping length: 9mm

Table of Contents

- [Startpage](#)
- [Safety Instructions for Adapter \(Cylindrical\) 3/4x24 UNS](#)
- [About Us](#)

Safety Instructions for Adapter (Cylindrical) 3/4x24 UNS

Introduction

Thank you for choosing the Adapter (Cylindrical) 3/4x24 UNS. This product is designed to be used with the Sinus Brake/Benchrest Barrel Tuner. Please read this safety instruction guide carefully to ensure safe and effective use of the adapter.

General Safety Guidelines

- Ensure that the adapter is used only for its intended purpose.
- Always inspect the product for any signs of damage or wear before use.
- Store the adapter in a cool, dry place away from direct sunlight and moisture.
- Keep the adapter out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Use the adapter only with compatible equipment as specified by the manufacturer.
- A joint hook wrench with a 29mm diameter pin is required to fit the adapter. Ensure that this tool is in good condition before use.
- Do not modify the adapter in any way, as this may compromise its safety and functionality.
- Avoid using excessive force when screwing the adapter onto the muzzle thread to prevent damage.
- If you experience any difficulty during installation or use, stop immediately and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure that the muzzle thread is clean and free of debris.
- Verify that you have the required joint hook wrench with a 29mm diameter pin.

2. Installation:

- Align the adapter with the muzzle thread carefully.
- Gently screw the adapter onto the muzzle thread by hand until it is snug.
- Use the joint hook wrench to tighten the adapter securely, ensuring not to overtorque.

3. Usage:

- Once installed, the adapter can be used with the Sinus Brake/Benchrest Barrel Tuner as per the manufacturer's instructions.
- Regularly check the tightness of the adapter during use to ensure it remains secure.

4. PostUse:

- After use, remove the adapter by reversing the installation process.
- Store the adapter in a safe location for future use.

Disposal Instructions

- Dispose of the adapter in accordance with local regulations.

- If the adapter is damaged or no longer usable, ensure it is recycled or disposed of properly to minimize environmental impact.

Contact Information for Further Support

For any inquiries or further assistance regarding the Adapter (Cylindrical) 3/4x24 UNS, please refer to the manufacturer's contact details provided with your product.

Thank you for your attention to these safety instructions. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk