

# Bench-Rest-Seater 7/8 - Bench-Rest-Seater 6,5x50 R Reb

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The BR-Seater is your reliable partner for highest precision in seating match bullets, or whenever in questions of “bullet runout”, there is no room for compromise.

Thanks to the guide sleeve which is modelled like the cartridge chamber, the cartridge case will receive perfect axial guidance during the seating operation.

Also, the bullet will be guided in the same process.

This ensures perfect concentricity. Of course, the seater-head is replaceable. Various types of seater-heads are offered.

Choosing the correct seater head for the bullet used often improves concentricity significantly. You will find further instructions and assistance in selecting accessories and spare parts in the manual.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Bench-Rest-Seater 6,5x50 R Reb](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2012951
- Mfr. No.: 3148405
- Thread: 7/8
- Delivery weight: 0.4kg
- Shipping height: 43mm
- Shipping width: 43mm
- Shipping length: 135mm

# Table of Contents

- [Startpage](#)
- [BenchRestSeater 7/8 Safety Instruction Guide](#)
- [About Us](#)

# BenchRestSeater 7/8 Safety Instruction Guide

## Introduction

Thank you for choosing the BenchRestSeater 7/8. This product is designed to provide you with the highest precision in seating match bullets. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Always handle ammunition and reloading equipment with care to prevent accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, while using the BenchRestSeater.
- Ensure your workspace is clean and organized to prevent accidents.
- Do not exceed the recommended bullet specifications for the seaterhead.
- Always use the correct seaterhead for the bullet type to improve concentricity and safety.
- Avoid using the product if you are under the influence of drugs or alcohol.
- Do not modify the product in any way, as this can lead to unsafe conditions.

## Instructions for Installation and Usage

### 1. Installation

- Ensure that your reloading press is securely mounted and stable.
- Attach the BenchRestSeater to your reloading press using the 7/8 thread.
- Select the appropriate seaterhead based on the bullet specifications you are using.
- Securely fasten the seaterhead into the BenchRestSeater.

### 2. Usage

- Load the cartridge case into the BenchRestSeater.
- Place the bullet into the cartridge case, ensuring it is properly aligned.
- Slowly and steadily operate the press to seat the bullet into the cartridge case.
- Monitor the seating process to ensure that the bullet is seated correctly and concentricity is maintained.
- After use, clean the BenchRestSeater to remove any debris or residue.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for nonhazardous materials.
- Do not dispose of the product in regular household waste if it is damaged or contains hazardous materials.
- Check with local authorities for proper disposal methods for reloading equipment.

## **Contact Information for Further Support**

For any inquiries regarding safety or product usage, please refer to the manufacturer's contact information provided in the product manual or packaging.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)