

# Bench-Rest-Seater 7/8 - Bench-Rest-Seater 8x60 S

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The BR-Seater is your reliable partner for highest precision in seating match bullets, or whenever in questions of "bullet runout", there is no room for compromise.

Thanks to the guide sleeve which is modelled like the cartridge chamber, the cartridge case will receive perfect axial guidance during the seating operation.

Also, the bullet will be guided in the same process.

This ensures perfect concentricity. Of course, the seater-head is replaceable. Various types of seater-heads are offered.

Choosing the correct seater head for the bullet used often improves concentricity significantly. You will find further instructions and assistance in selecting accessories and spare parts in the manual.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Bench-Rest-Seater 8x60 S](#)
- Manufacturer: [TRIEBEL](#)
- Product no.: EU2012986
- Mfr. No.: 3323605
- Thread: 7/8
- Delivery weight: 0.4kg
- Shipping height: 43mm
- Shipping width: 43mm
- Shipping length: 135mm

# Table of Contents

- Startpage
- BenchRestSeater Safety Instruction Guide
- About Us

# BenchRestSeater Safety Instruction Guide

## Introduction

Thank you for choosing the BenchRestSeater 7/8 and 8x60 S. This product is designed to provide the highest precision in seating match bullets. To ensure safe and effective use of this product, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Always use the BenchRestSeater in accordance with the manufacturer's instructions.
- Ensure that the workspace is clean and free from obstructions before starting any operation.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the BenchRestSeater for signs of wear or damage. Do not use if any part is damaged.
- Report any unsafe conditions or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Wear appropriate safety equipment, such as safety glasses, when operating the BenchRestSeater.
- Ensure that the cartridge case is properly aligned before seating the bullet to avoid misfires.
- Avoid excessive force during the seating operation to prevent damage to the product or cartridge.
- Use only compatible seaterheads as specified in the manual to maintain safety and performance.
- Do not attempt to modify or repair the BenchRestSeater unless instructed by the manufacturer.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure that the work surface is stable and secure.
- Attach the BenchRestSeater to the work surface using the appropriate fasteners.
- Select the correct seaterhead for the bullet you are using and install it according to the manual.

### 2. Usage:

- Prepare the cartridge case by cleaning and inspecting it for damage.
- Insert the cartridge case into the BenchRestSeater, ensuring it is properly seated.
- Place the bullet into the case and gently lower the seaterhead onto the bullet.
- Apply a steady and controlled pressure to seat the bullet into the cartridge case.
- After seating, check for proper alignment and concentricity.
- Remove the completed cartridge and store it safely.

## Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the BenchRestSeater is no longer usable, dispose of it responsibly. Check with local waste management services for proper disposal methods.

## Contact Information for Further Support

For any questions or concerns regarding the BenchRestSeater, please refer to the manufacturer's manual or contact the appropriate support channels.

By following these safety instructions, you can ensure the safe and effective use of the BenchRestSeater. Thank you for your attention to these guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)