

# Lever Quick Takedown Screw 35 Rem - Marlin 35 Rem Lever Takedown Screw (black)

## [Shooting Accessories](#)

Material: High-quality 4140 chromoly steel, durable and corrosion-resistant thanks to a black nitride finish Weight: approx. 20 g

Features: - Quick disassembly: Screws allow fast lever removal for thorough cleaning. - Flexible lever swap: Easily converts to larger lever loops—ideal for cowboy-action shooting or gloved use. - Strong grip: Large-diameter design with six contact points prevents slipping during installation and removal.

Compatible with: All Marlin lever-action models (except Marlin 39A) Thread: Marlin-specific thread .210-28 with O-ring for secure hold that won't loosen on its own.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Marlin 35 Rem Lever Takedown Screw \(black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014669
- Mfr. No.: 85
- Weapon type: Marlin
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124548

# Table of Contents

- Startpage
- Lever Quick Takedown Screw Safety Instructions
- About Us

# Lever Quick Takedown Screw Safety Instructions

## Introduction

Thank you for choosing the Lever Quick Takedown Screw for your Marlin 35 Rem leveraction rifle. This product is designed to enhance your shooting experience by providing quick disassembly for cleaning and maintenance. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and firearm accessories with care.
- Keep the product out of reach of children and unauthorized users.
- Inspect the product for any damage or wear before use.
- Report any unsafe conditions or incidents to the relevant authorities.

## Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye protection, when using firearms.
- Ensure that the firearm is unloaded before installing or removing the takedown screw.
- Do not force the screw if it does not fit properly; check for compatibility with your Marlin leveraction model.
- Avoid using excessive force during installation or removal to prevent damage to the screw or firearm.
- Be cautious of sharp edges when handling the screw.

## Instructions for Installation and Usage

### 1. Preparation

- Ensure the firearm is completely unloaded.
- Gather the necessary tools, including a screwdriver if required.

### 2. Installation

- Locate the takedown screw position on your Marlin leveraction rifle.
- Align the screw with the threaded hole and gently insert it.
- Handtighten the screw until secure, ensuring it is not overtightened.

### 3. Usage

- To remove the lever, simply unscrew the takedown screw in the reverse order.
- For cleaning, follow your firearm's specific maintenance guidelines.

### 4. Reinstallation

- After cleaning, reattach the lever by following the installation steps above.
- Ensure the screw is securely fastened before using the firearm.

## Disposal Instructions

- Dispose of the takedown screw in accordance with local regulations.
- Do not dispose of the product in household waste; consider recycling options if available.

## **Contact Information for Further Support**

For any questions or concerns regarding the Lever Quick Takedown Screw, please refer to the manufacturer's contact information provided with your product packaging or visit the manufacturer's website.

By following these guidelines, you can ensure safe and effective use of the Lever Quick Takedown Screw. Thank you for prioritizing safety in your shooting activities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)