

Ranger Lok Handguards + Pistol Grip Stock Hardware (Raw) - 2 PACK - Ranger M-LOK HANDGUARDS + Pistol Grip Stock hardware (RAW)

[Home](#)

1. Ranger M-LOK Handguard

- Machined from one piece of solid billet aluminum for increased rigidity and reduced weight.
- Full length 13.25" total length x 1.5" width x " 1.6" height x 7.5 oz length with exposed mag tube loading port.
- Hardware is provided increasing durability and load bearing capacity while ensuring easy installation
- Four set screws afford rock solid bedding and eliminate lateral shift.
- Extra M-LOKs slots on sides-now 24 slots total
- Four Flush Cup holes for push button sling swivels
- Flat bottom provides increased stability when shooting from a rest, while the slender width, deep finger grooves
- Improved compatibility with shortened barrels and suppressors.

NO IMAGE
AVAILABLE

2. The Ranger Point Adjustable Butt Stock

- Tough, robust, and weatherproof made of 6061 billet aluminum
- Lightweight at only 22 oz, less than the factory wood stock; keeps rifle perfectly balanced
- Comparable length-of-pull (LOP) to factory rifles; 1/2" spacers for longer LOP
- Adjustable comb height using four pivot points (adjust, and tighten when set)
- AR-style 6-Position butt plate design with our proprietary "Made in Texas" DEAD BLOW recoil pad; also works with off the shelf AR pads
- M-LOK accessory panel with two sling swivel hardware holes (can be attached to either side of the stock)
- Adjustable Cheek riser that allows for even taller optics after adjustable comb height is done

Attributes

- Name: [2 PACK - Ranger M-LOK HANDGUARDS + Pistol Grip Stock hardware \(RAW\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014701
- Mfr. No.: 8007-RAW
- Delivery weight: 13.15kg
- Shipping height: 127mm
- Shipping width: 127mm
- Shipping length: 355.6mm
- UPC: 850078134776

Table of Contents

- [Startpage](#)
- [Ranger Lok Handguards + Pistol Grip Stock Hardware Safety Instructions](#)
- [About Us](#)

Ranger Lok Handguards + Pistol Grip Stock Hardware Safety Instructions

Introduction

Thank you for choosing the Ranger Lok Handguards and Pistol Grip Stock Hardware. This product is designed to enhance your shooting experience while ensuring safety and performance. Please read this safety instruction guide carefully to ensure safe use and compliance with EU safety regulations.

General Safety Guidelines

- Ensure the product is used only for its intended purpose.
- Always handle firearms with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- In case of any malfunction or unusual behavior, cease use immediately and consult a professional.

Specific Safety Precautions for Use

- **Product Handling:**
 - Always ensure that the firearm is unloaded before installing or adjusting the handguards or stock.
 - Avoid placing any body parts in the path of moving parts during installation or adjustment.
- **Installation:**
 - Follow the installation instructions carefully to avoid improper fitting, which could lead to accidents.
 - Use the provided hardware to secure the handguard and stock components properly.
 - Ensure that all screws and fittings are tightened to prevent any movement during use.
- **Shooting Safety:**
 - Use the firearm in a controlled environment, such as a shooting range.
 - Always wear appropriate eye and ear protection when shooting.
 - Be aware of your surroundings and ensure a safe backstop for shooting.
- **Maintenance:**
 - Regularly clean and maintain the handguards and stock to ensure optimal performance.
 - Inspect for any loose screws or parts and tighten as necessary.

Instructions for Installation and Usage

1. Installation of Handguards:

- Ensure the firearm is unloaded.
- Remove the existing handguard if applicable.
- Align the Ranger MLOK Handguard with the firearm's mounting points.
- Secure the handguard using the provided set screws, ensuring they are tightened properly.
- Check for stability and correct alignment.

2. Installation of Pistol Grip Stock:

- Ensure the firearm is unloaded.
- Remove the existing stock if applicable.
- Attach the Ranger Point Adjustable Butt Stock to the firearm's buffer tube.
- Use the provided hardware to secure the stock in place.
- Adjust the length of pull and comb height as needed for comfort.
- Verify that the stock is securely attached before use.

3. Using the Product:

- Adjust the cheek riser for optimal sight alignment.
- Utilize the MLOK accessory panel for attaching slings or other accessories as needed.
- Ensure that all adjustments are secure before firing the firearm.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding aluminum and plastic waste.
- If the product is damaged or no longer usable, consider recycling materials whenever possible.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Ranger Lok Handguards and Pistol Grip Stock Hardware, please refer to the manufacturer's official website or customer service channels.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk