

Marlin 1894 Lever Peep Sight 357Mag 44Mag 45Colt - Marlin 1894 Lever Rifle Peep Sight Black

[Rifle Parts](#) > [Sights](#) > [Rear Sights](#)

Marlin 1894 and Smith and Wesson 1854 Peep Sight Black

Optimized for fast target acquisition in low-light hunting conditions. Best performance up to 150 yards, effective up to 200 yards. Benefits:

Quick Targeting: Scope-like reticle with bright green fiber optics. Precision for Short Distances: Designed for tight cloverleaf groups. Versatility: Pair with TruGlo front sights (TruGlo not included). Compatibility:

Marlin 1894 and Smith and Wesson 1854, calibers .357 Mag / .38 Special, .41 Mag, .44 Mag, .45 Colt. Compatible with factory or replacement front sights.

Package Contents:

- 1 Sight base with windage screw
- 1 Aperture spring with elevation screw
- 2 Mounting screws
- 1 Allen wrench

Key Features:

Low-Profile Design: Snag-free base protects the spring and maintains zero.

Precise Adjustments: Clearly marked windage and elevation settings. Wide

Aperture: .165" opening for a bright sight picture and accurate shots. Durable

Build: Type III anodized 7075 aluminum or lacquered brass base. Glare

Reduction: Matte finish to minimize reflective interference. Specifications:

Windage: 0.09" adjustment Sight Height: 0.26" to 0.36" Base Dimensions:

Small base: 3.31" x 0.65", large base: 3.66" x 0.65"

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin 1894 Lever Rifle Peep Sight Black](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014740
- Mfr. No.: 55
- Weapon type: Marlin
- Delivery weight: 0.45kg
- Shipping height: 16.51mm
- Shipping width: 9.144mm
- Shipping length: 95.25mm
- UPC: 850078124364

Table of Contents

- Startpage
- Marlin 1894 Lever Peep Sight Safety Instruction Guide
- About Us

Marlin 1894 Lever Peep Sight Safety Instruction Guide

Introduction

Thank you for choosing the Marlin 1894 Lever Peep Sight. This guide provides essential safety information and instructions to ensure safe and effective use of your sight. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure the sight is compatible with your firearm before installation.
- Always handle firearms with care and follow all safety protocols.
- Keep the sight and firearm out of reach of children and unauthorized users.
- Regularly inspect the sight for any signs of damage or wear.
- If you notice any issues with the sight, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Targeting:** Use the sight only for its intended purpose of aiding target acquisition.
- **Shooting Environment:** Be aware of your surroundings and ensure a safe shooting environment.
- **LowLight Conditions:** While optimized for lowlight conditions, ensure adequate visibility when using the sight.
- **Aperture Size:** Be cautious when adjusting the aperture; ensure it is set correctly to avoid misalignment.
- **Installation:** Follow the installation instructions carefully to prevent improper fitting, which may affect performance.
- **Cleaning:** Use appropriate cleaning materials to avoid damaging the sight's finish.

Instructions for Installation and Usage

Installation

1. Gather Tools:

- 1 Allen wrench (included)
- Mounting screws (included)

2. Attach the Sight Base:

- Align the sight base with the mounting holes on your firearm.
- Insert the mounting screws into the holes and tighten securely using the Allen wrench.

3. Adjust Windage and Elevation:

- Use the windage screw to adjust sidetoside alignment.
- Use the elevation screw to adjust upanddown alignment.
- Ensure adjustments are clearly marked for accurate settings.

4. Check Stability:

- After installation, ensure the sight is stable and does not move when touched.

Usage

1. Aiming:

- Look through the aperture and align the reticle with your target.
- Use the bright green fiber optics for quick targeting.

2. Shooting:

- Ensure a proper shooting stance and grip on your firearm.
- Take your time to aim accurately before pulling the trigger.

3. PostUse:

- After use, inspect the sight for any damage or misalignment.
- Store the firearm and sight in a safe and secure location.

Disposal Instructions

When disposing of the Marlin 1894 Lever Peep Sight, please follow these guidelines:

- Do not dispose of the sight in regular household waste.
- Check local regulations for proper disposal methods for metal and electronic components.
- If applicable, recycle materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the Marlin 1894 Lever Peep Sight, please reach out to the EUbased contact point provided with your product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and effective experience with your Marlin 1894 Lever Peep Sight. Always prioritize safety and responsible usage to enhance your shooting experience. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk