

Rossi 95 "Flyweight" Loading Gate 45 70 30 30 444 360 - Rossi 95 Load Gate Large Frame Only (black)

[Home](#)

Compatibility:

Compatible with Rossi 95 rifles in 45-70, 30-30, 444, and 360

Not compatible with Rossi 95 rifles in .357 Mag., .44 Mag, or .45 Colt

Lightweight and Precise:

Reduces spring tension by up to 70%

Requires only 0.7 kg (1.5 lbs) of force to open — compared to over 2.3 kg (5 lbs) on the factory loading gate

Material:

Precision-machined from 7075-T6 aluminum

Hard-anodized for extreme durability

Harder than heat-treated steel, offering exceptional wear resistance

NO IMAGE
AVAILABLE

Attributes

- Name: [Rossi 95 Load Gate Large Frame Only \(black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014799
- Mfr. No.: 2008
- Weapon type: Rossi
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 50.8mm
- Shipping length: 101.6mm
- UPC: 850068664016

Table of Contents

- Startpage
- Rossi 95 "Flyweight" Loading Gate Safety Instructions
- About Us

Rossi 95 "Flyweight" Loading Gate Safety Instructions

Introduction

Thank you for choosing the Rossi 95 "Flyweight" Loading Gate. This product is designed to enhance the performance of your Rossi 95 rifle while ensuring safety during use. Please read this safety instruction guide carefully to understand how to use the product safely and effectively.

General Safety Guidelines

- Ensure the product is compatible with your Rossi 95 rifle model. This loading gate is compatible with 4570, 3030, 444, and 360 calibers. It is not compatible with .357 Mag, .44 Mag, or .45 Colt models.
- Always handle firearms with care and follow all safety protocols when using your rifle.
- Store the loading gate and rifle in a secure location, out of reach of children and unauthorized users.
- Regularly inspect the loading gate for any signs of wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities and check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always ensure the rifle is unloaded before installing or modifying the loading gate.
- Use only the recommended amount of force (0.7 kg or 1.5 lbs) to open the loading gate. Avoid using excessive force that could damage the mechanism.
- Do not attempt to modify or alter the loading gate in any way.
- Keep your fingers and other body parts clear of the loading gate when operating it.
- If you experience any difficulties while using the loading gate, stop using it immediately and consult a professional.

Instructions for Installation and Usage

1. Installation:

- Ensure the rifle is completely unloaded.
- Remove the existing loading gate from the Rossi 95 rifle by following the manufacturer's guidelines.
- Align the Rossi 95 "Flyweight" Loading Gate with the designated area on the rifle.
- Gently press the loading gate into place, ensuring it is securely fitted.
- Confirm that the loading gate operates smoothly before proceeding to use the rifle.

2. Usage:

- To operate the loading gate, apply a gentle force of 0.7 kg (1.5 lbs) to open it.
- Load ammunition as per the instructions provided with your Rossi 95 rifle.
- After loading, ensure the loading gate is securely closed before using the rifle.

Disposal Instructions

- When disposing of the Rossi 95 "Flyweight" Loading Gate, follow local regulations for electronic and aluminum waste.
- Do not dispose of the loading gate in regular household waste. Instead, take it to a designated recycling facility.

Contact Information for Further Support

For any inquiries related to safety or product support, please reach out to the designated contact point provided by the manufacturer or retailer where you purchased the Rossi 95 "Flyweight" Loading Gate.

Thank you for choosing Rossi. Your safety is our priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk