

Marlin 1894 &W 1854 "Flyweight" Easy Loading Gate - Marlin 1894 Smith and Wesson 1854 Load Gate (Gold)

[Rifle Parts](#) > [Bolt Parts](#) > [Breech Bolts & Blocks](#)

The RPP Flyweight Loading Gate makes reloading your Marlin 1894 or 1854 rifles easier than ever. It is precision-machined from high-quality 7075-T6 aluminum and hard-anodized for extreme durability.

Features:

Compatibility: Fits Marlin 1894 and 1854 in .357 Mag, .44 Mag, and .45 Colt

Lightweight Operation: Spring tension reduced by up to 70% - requires only 1.5 lbs of force to open

Optimized Cartridge Feed: Improved visibility and smooth feeding

Quick Installation: Easy to install in 10-15 minutes

Color: Gold

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin 1894 Smith and Wesson 1854 Load Gate \(Gold\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014807
- Mfr. No.: 18
- Weapon type: Marlin
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850078124272

Table of Contents

- Startpage
- Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate Safety Instructions
- About Us

Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate Safety Instructions

Introduction

Thank you for choosing the Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate. This product is designed to enhance your reloading experience with your Marlin 1894 or 1854 rifles. To ensure your safety and the proper functioning of your product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that you are familiar with the operation of your rifle before using the loading gate.
- Always handle firearms with care and treat them as if they are loaded.
- Keep the loading gate and all components out of reach of children and unauthorized users.
- Inspect the loading gate for any signs of damage before installation and use.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform to stay informed about any safety issues.

Specific Safety Precautions for Use

- Before reloading, ensure that the rifle is pointed in a safe direction and that the safety mechanism is engaged.
- Do not force the loading gate open; if it does not operate smoothly, inspect it for obstructions or damage.
- Avoid using excessive force when operating the loading gate; it requires only 1.5 lbs of force to open.
- Always ensure that the ammunition used is compatible with the Marlin 1894 or 1854 rifles (.357 Mag, .44 Mag, and .45 Colt).
- Do not modify the loading gate or any components without consulting a qualified gunsmith.

Instructions for Installation and Usage

Installation

1. **Preparation:** Ensure that your rifle is unloaded and pointed in a safe direction.
2. **Remove Old Loading Gate:** If applicable, carefully remove the existing loading gate according to the manufacturer's instructions.
3. **Install the Flyweight Loading Gate:**
 - Align the new loading gate with the designated mounting area on your rifle.
 - Securely fasten the loading gate in place, ensuring it is firmly attached.
4. **Test the Operation:** Once installed, gently operate the loading gate to ensure it functions smoothly.

Usage

- To load ammunition, gently press the loading gate open.
- Insert the cartridges into the chamber, ensuring they are seated properly.
- Close the loading gate and check that it is secure before proceeding to use the rifle.
- Always maintain awareness of your surroundings and ensure that no one is in the line of fire.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local regulations.
- If the loading gate becomes damaged beyond repair, dispose of it in accordance with local waste management guidelines.
- Do not throw away any components in regular household waste; check for recycling options if available.

Contact Information for Further Support

For any questions or concerns regarding the Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate, please consult your retailer or refer to the manufacturer's website for further assistance and information.

By following these safety instructions, you can ensure a safe and enjoyable experience with your Marlin 1894 & W 1854 "Flyweight" Easy Loading Gate. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk