

Rossi 95 Lever Quick Takedown Screw 444 Rem - Rossi 95 444 Lever Takedown Screw (black)

[Rifle Parts](#) > [Receiver Parts](#) > [Takedown Parts](#) > [Screws](#)

Rossi 95 Lever Quick Takedown Screw

Material: 4140 Chromoly Steel with Black Nitride Coating

Features:

Quick-release screw for effortless lever removal Allows easy swapping to larger loop levers, perfect for gloved hands or cowboy action shooting Six-point design ensures a secure, non-slip grip during installation and removal Fits all Rossi 95 rifles (not compatible with Rossi 92) Direct replacement for the original factory lever screw without modification

NO IMAGE
AVAILABLE

Attributes

- Name: [Rossi 95 444 Lever Takedown Screw \(black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014816
- Mfr. No.: 160
- Weapon type: Rossi
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850068664412

Table of Contents

- Startpage
- Rossi 95 Lever Quick Takedown Screw Safety Instructions
- About Us

Rossi 95 Lever Quick Takedown Screw Safety Instructions

Introduction

Thank you for choosing the Rossi 95 Lever Quick Takedown Screw. This product is designed to facilitate the removal and installation of lever mechanisms on Rossi 95 rifles. To ensure safe use and compliance with the EU General Product Safety Regulation (GPSR), please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure the product is suitable for your specific model of Rossi rifle.
- Always handle the product with care to avoid injury.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage before use.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- **Potential Hazards:**
 - Improper installation may lead to malfunction or injury.
 - The screw may become loose during use, leading to potential accidents.
- **Avoiding Hazards:**
 - Always ensure the screw is securely tightened before use.
 - Do not use the product if it shows signs of damage or wear.
 - Use appropriate tools to avoid injury during installation and removal.

Instructions for Installation and Usage

- **Installation:**
 1. Ensure your Rossi 95 rifle is unloaded and pointed in a safe direction.
 2. Use a proper sixpoint tool to securely grip the takedown screw.
 3. Align the screw with the lever mechanism and insert it carefully.
 4. Tighten the screw until it is snug, but do not overtighten as this may damage the threads.
- **Usage:**
 - To remove the lever, simply reverse the installation steps.
 - Check the tightness of the screw periodically during use, especially after extended shooting sessions.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in household waste.
- Consider recycling options where available.

Contact Information for Further Support

For any questions or concerns regarding the Rossi 95 Lever Quick Takedown Screw, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety while using the Rossi 95 Lever Quick Takedown Screw. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk