

Rossi 95 Lever Takedown Screw Alum - Rossi 95 Lever Takedown Screw Large Frame (Alum Bronze)

[Rifle Parts](#) > [Receiver Parts](#) > [Takedown Parts](#) > [Screws](#)

Rossi 95 Lever Takedown Screw – Aluminum Bronze

Upgrade your Rossi 95 lever-action rifle with a premium polished aluminum bronze takedown screw. Durable, precise, and easy to use.

Material: Polished aluminum bronze Thread pitch: 10-32 for Rossi 95 Shaft diameter: Engineered for a perfect fit Included: 1 RP logo-marked takedown screw

NO IMAGE
AVAILABLE

Attributes

- Name: [Rossi 95 Lever Takedown Screw Large Frame \(Alum Bronze\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014825
- Mfr. No.: 152
- Weapon type: Rossi
- Delivery weight: 0.45kg
- Shipping height: 12.7mm
- Shipping width: 25.4mm
- Shipping length: 12.7mm
- UPC: 850068664139

Table of Contents

- Startpage
- Rossi 95 Lever Takedown Screw Safety Instructions
- About Us

Rossi 95 Lever Takedown Screw Safety Instructions

Introduction

Thank you for choosing the Rossi 95 Lever Takedown Screw. This product is designed to enhance the performance of your Rossi 95 leveraction rifle. To ensure safe and effective use, please read the following safety instructions carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and related components with care and in accordance with local laws and regulations.
- Keep the product out of reach of children and unauthorized users.
- Regularly inspect the takedown screw for signs of wear or damage before use.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- Only use the Rossi 95 Lever Takedown Screw with compatible Rossi 95 leveraction rifles.
- Ensure the rifle is unloaded before installing or adjusting the takedown screw.
- Use appropriate tools to avoid damaging the takedown screw or the rifle.
- Do not attempt to modify the takedown screw or use it in any manner other than specified.
- If you experience difficulty during installation or use, stop immediately and consult a qualified professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your Rossi 95 rifle is completely unloaded and pointed in a safe direction.
- Gather necessary tools, including a screwdriver compatible with the screw head.

2. Installation:

- Locate the existing takedown screw on your Rossi 95 rifle.
- Carefully remove the old takedown screw using the screwdriver.
- Align the new Rossi 95 Lever Takedown Screw with the threaded hole.
- Gently insert the takedown screw and tighten it until secure, but do not overtighten.

3. Usage:

- When using the rifle, ensure that the takedown screw is properly secured.
- Regularly check the tightness of the takedown screw during use, especially after extended periods of shooting.

4. PostInstallation:

- Dispose of the old takedown screw responsibly, following local regulations for metal waste.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling guidelines.
- The old takedown screw should be disposed of as metal waste. Check local regulations for specific disposal instructions.

Contact Information for Further Support

For any questions or concerns regarding the Rossi 95 Lever Takedown Screw, please refer to the manufacturer's contact information provided with your product. You can also check for recall updates and safety information on the EU's Safety Gate platform.

Thank you for your attention to these safety instructions. Enjoy your enhanced Rossi 95 leveraction rifle with the new takedown screw!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk