

Rossi 95 Lever Quick Takedown Screws - 25 PACK YOUR LOGO: Rossi 95 BIG BORES Lever Quick Takedown Screws (black nitride coated)

[Rifle Parts](#) > [Build Kits](#) > [Handguards & Rails](#)

"

Oversize, lever-action stainless steel tool-less, quick takedown screws allow for easy lever removal for a thorough cleaning or issues in the field.

- Easy to swap out standard levers for larger loop levers for gloved hands or cowboy action shooting
- Large diameter, sixpoint star provides a non-slip grasp during installation and removal.
- Replaces the original, factory lever screw without alteration.
- Made of stainless steel with a salt bath black nitride coating.

"

**NO IMAGE
AVAILABLE**

Attributes

- Name: [25 PACK YOUR LOGO: Rossi 95 BIG BORES Lever Quick Takedown Screws \(black nitride coated\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014830
- Mfr. No.: 148-3
- Weapon type: Rossi
- Delivery weight: 5.67kg
- Shipping height: 127mm
- Shipping width: 127mm
- Shipping length: 355.6mm
- UPC: 850078134745

Table of Contents

- Startpage
- Rossi 95 Lever Quick Takedown Screws Safety Instruction Guide
- About Us

Rossi 95 Lever Quick Takedown Screws Safety Instruction Guide

Introduction

Thank you for choosing the Rossi 95 Lever Quick Takedown Screws. This guide provides essential safety instructions and information to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure the product is used only for its intended purpose as described in this manual.
- Always handle the screws with care to avoid injury.
- Keep the screws out of reach of children and vulnerable individuals.
- Regularly inspect the screws for wear and damage before use.
- In case of any malfunction or damage, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- Use only the recommended tools for installation and removal to prevent injury.
- Always wear appropriate safety gear, such as gloves and safety glasses, when handling the screws.
- Ensure the firearm is unloaded and safe before attempting to install or remove the screws.
- Avoid applying excessive force during installation or removal to prevent stripping the screw or damaging the firearm.
- If you experience difficulty during installation or removal, stop and consult a professional.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded and safe.
- Gather the required tools, including a sixpoint star tool.

2. Installation:

- Align the Rossi 95 Lever Quick Takedown Screw with the designated screw hole on the lever.
- Insert the screw into the hole and handtighten it until it is snug.
- Use the sixpoint star tool to securely tighten the screw, ensuring it is firmly in place but not overtightened.

3. Removal:

- To remove the screw, use the sixpoint star tool to loosen it.
- Turn the screw counterclockwise until it is completely detached from the lever.
- Store the screw in a safe place until needed again.

4. Maintenance:

- Periodically check the screws for tightness and signs of wear.
- Clean the screws with a soft cloth to remove any debris or residue.

Disposal Instructions

- Dispose of any damaged or worn screws in accordance with local regulations.
- Do not dispose of screws in regular household waste; check for recycling options in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the Rossi 95 Lever Quick Takedown Screws, please refer to the manufacturer's contact information provided on the product packaging or visit their official website.

By following these safety guidelines and instructions, you can ensure a safe and effective experience with your Rossi 95 Lever Quick Takedown Screws. Thank you for your attention to safety and proper usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk