

Henry Lever Quick Takedown Screw 45 70 Govt - Henry 45-70 Lever Takedown Screw (Black)

[Rifle Parts](#) > [Receiver Parts](#) > [Takedown Parts](#) > [Screws](#)

Oversized, Henry lever-action quick take down screws allow for easy lever removal for a thorough cleaning, plus makes it easy to swap out standard levers for larger loop levers for gloved hands or cowboy action shooting. Replaces the original, factory lever screw without alteration. Made of 4140 chromoly steel with a black nitride coating. Fits Henry H009 30-30, H010 45-70, H012 Henry Big Boy Steels, H014 Long Ranger Series (.243, .308, etc), H018 .410, H024 Side Loading (.30-30 Win, .38-55 Win, .35 Rem)

NO IMAGE
AVAILABLE

Attributes

- Name: [Henry 45-70 Lever Takedown Screw \(Black\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014836
- Mfr. No.: 144
- Weapon type: Henry
- Delivery weight: 0.23kg
- Shipping height: 25.4mm
- Shipping width: 152.4mm
- Shipping length: 203.2mm
- UPC: 850068664887

Table of Contents

- Startpage
- Safety Instruction Guide for Henry Lever Quick Takedown Screw
- About Us

Safety Instruction Guide for Henry Lever Quick Takedown Screw

Introduction

Thank you for choosing the Henry Lever Quick Takedown Screw. This product is designed to enhance the functionality of your Henry leveraction rifle, allowing for easy lever removal and replacement. Please read this safety instruction guide carefully to ensure safe usage and compliance with EU safety regulations.

General Safety Guidelines

- Always handle firearms and firearm accessories with care and in accordance with local laws and regulations.
- Ensure that the product is used only for its intended purpose.
- Inspect the product for any visible damage before use. Do not use if damaged.
- Store the product in a secure location, out of reach of children and unauthorized users.
- Report any unsafe products or accidents to the relevant authorities.
- Stay informed about recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Ensure the firearm is unloaded before attempting to install or remove the takedown screw.
- Wear appropriate personal protective equipment (PPE) such as safety glasses when working on your firearm.
- Avoid using excessive force when installing or removing the screw to prevent damage to the firearm or the screw.
- Do not modify the screw or firearm in any way that is not recommended by the manufacturer.
- Keep fingers and hands clear of moving parts during installation and removal.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is completely unloaded.
- Gather necessary tools for installation, such as a screwdriver that fits the screw head.

2. Installation

- Locate the original lever screw on your Henry rifle.
- Using the appropriate screwdriver, carefully remove the original screw.
- Take the Henry Lever Quick Takedown Screw and align it with the screw hole.
- Gently insert the new screw and turn it clockwise until it is snug. Do not overtighten.

3. Usage

- To remove the lever, simply unscrew the takedown screw in a counterclockwise direction.
- For cleaning or maintenance, follow the manufacturer's instructions for your specific rifle model.
- When replacing the lever, ensure the new lever is compatible with your rifle model and fits securely.

4. PostInstallation Check

- After installation, check that the lever operates smoothly.

- Ensure that the screw is securely fastened and that there are no loose parts.

Disposal Instructions

- Dispose of any packaging material responsibly and in accordance with local waste disposal regulations.
- If the product is no longer needed or is damaged beyond use, dispose of it in a manner that prevents it from being used improperly.

Contact Information for Further Support

For any inquiries regarding the Henry Lever Quick Takedown Screw, please refer to the manufacturer's website or contact your local dealer for assistance. Ensure you keep the product information and any relevant purchase details handy for reference.

Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation (GPSR). Enjoy your enhanced shooting experience with the Henry Lever Quick Takedown Screw!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk