

Marlin & Henry Rifle Muzzle Brakes Muzzle Brake For Sale - Marlin Dark 45-70 Brake (Ilion, NY barrel stamp)

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

This muzzle brake was specifically designed for Marlin Dark 1895 models manufactured before 2020 (Remington, Ilion, NY). It reduces recoil and muzzle flash by approximately 25%, providing noticeably improved shooting control.

Specifications:

Compatibility: Marlin Dark 1895 (pre-2020) with .800" barrel outside diameter and 11/16 x 24 TPI threading

Material: Durable 4140 steel (salt bath hardened, black nitrided)

Length: 1.65" (42 mm), with 1" (25 mm) extending beyond the barrel

Installation: Tighten by hand and secure with blue Loctite (not red)

Performance: Reduces recoil and muzzle flash by approximately 25%

If you'd like, I can also rewrite it in a more persuasive, marketing-focused tone.

NO IMAGE
AVAILABLE

Attributes

- Name: [Marlin Dark 45-70 Brake \(Ilion, NY barrel stamp\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014850
- Mfr. No.: 133
- Weapon type: Marlin
- Delivery weight: 0.02kg
- Shipping height: 12.7mm
- Shipping width: 25.4mm
- Shipping length: 12.7mm
- UPC: 850078134035

Table of Contents

- Startpage
- Marlin & Henry Rifle Muzzle Brake Safety Instructions
- About Us

Marlin & Henry Rifle Muzzle Brake Safety Instructions

Introduction

Thank you for choosing the Marlin & Henry Rifle Muzzle Brake. This product is designed to enhance your shooting experience by reducing recoil and muzzle flash. To ensure safe and effective use, please read and follow these safety instructions carefully.

General Safety Guidelines

- Ensure that the muzzle brake is compatible with your firearm model.
- Always handle firearms with care and follow standard safety practices.
- Keep the muzzle brake and all firearm accessories out of reach of children.
- Regularly inspect the muzzle brake for any signs of wear or damage.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when shooting.
- Ensure the firearm is unloaded before installing or adjusting the muzzle brake.
- Do not exceed the manufacturer's recommended specifications for installation.
- Avoid using the firearm in environments where it may cause harm to others.
- Be mindful of the shooting environment and ensure a safe backdrop.

Instructions for Installation and Usage

1. Compatibility Check

- Confirm that your firearm is a Marlin Dark 1895 model manufactured before 2020 with a .800" barrel outside diameter and 11/16 x 24 TPI threading.

2. Installation Process

- Ensure the firearm is unloaded.
- Handtighten the muzzle brake onto the barrel.
- Use blue Loctite to secure the muzzle brake in place. Do not use red Loctite, as it may make future removal difficult.

3. Usage Instructions

- After installation, test the firearm in a safe shooting environment.
- Monitor performance and check for any unusual signs during use.
- If you experience excessive recoil or any issues, discontinue use immediately and consult a qualified gunsmith.

Disposal Instructions

- Dispose of the muzzle brake according to local regulations for metal products.
- Do not dispose of in regular household waste.
- Consider recycling options for steel materials.

Contact Information for Further Support

For any inquiries regarding safety or performance, please refer to the manufacturer's contact information provided with your product packaging.

Thank you for prioritizing safety while using the Marlin & Henry Rifle Muzzle Brake. Enjoy your shooting experience responsibly.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk