

# Henry Quick Detach Butt Stock Takedown Screws - Henry Butt Stock Takedown Screw (stainless)

[Rifle Parts](#) > [Stock Parts](#)

The Henry Centerfire Lever-action Quick Takedown Screw offers an inexpensive way to quickly and easily shorten your lever-action rifle, making it easier to store, pack, and transport. This is a universal replacement screw for the buttstock of Henry Lever-action rifles, fitting most lever-action calibers/models; it does NOT fit the 22 caliber models.

Specifically designed to work with any coin you might find in your pocket to quickly unscrew and remove your buttstock.

Two finish options:

Chromoly Steel with Black Nitride coating

Polished Stainless Steel

NO IMAGE  
AVAILABLE

## Attributes

- Name: [Henry Butt Stock Takedown Screw \(stainless\)](#)
- Manufacturer: [RANGER POINT](#)
- Product no.: EU2014870
- Mfr. No.: 1205
- Weapon type: Henry
- Delivery weight: 0.45kg
- Shipping height: 6.35mm
- Shipping width: 6.35mm
- Shipping length: 38.1mm
- UPC: 850068664870

# Table of Contents

- Startpage
- Henry Quick Detach Butt Stock Takedown Screws Safety Instruction Guide
- About Us

# Henry Quick Detach Butt Stock Takedown Screws Safety Instruction Guide

## Introduction

Thank you for choosing the Henry Quick Detach Butt Stock Takedown Screws. This product is designed to provide a convenient solution for shortening your leveraction rifle, making it easier to store, pack, and transport. Please read this safety instruction guide carefully to ensure safe and effective use of the product in compliance with the EU General Product Safety Regulation (GPSR).

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as described in the product specifications.
- Always inspect the screws for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about safety recalls and updates via the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Do not use the takedown screws if they show signs of wear, damage, or corrosion.
- Ensure that the rifle is unloaded and pointed in a safe direction before attempting to install or remove the buttstock.
- Use only compatible models of Henry Leveraction rifles for installation.
- Avoid using excessive force when tightening or loosening the screws to prevent stripping or damaging the threads.
- When using a coin to unscrew the buttstock, ensure that the coin is in good condition to avoid slipping and potential injury.

## Instructions for Installation and Usage

### 1. Preparation:

- Ensure the rifle is unloaded.
- Gather necessary tools, including a coin for unscrewing.

### 2. Installation:

- Locate the buttstock of your Henry Leveraction rifle.
- Align the quick detach screw with the buttstock screw hole.
- Use a coin to turn the screw clockwise until secure. Do not overtighten.

### 3. Usage:

- To detach the buttstock, use the coin to turn the screw counterclockwise.
- Carefully remove the buttstock from the rifle.
- Store the buttstock and screws in a safe place when not in use.

### 4. Maintenance:

- Regularly check the screws for tightness and condition.
- Clean the screws and the screw holes to prevent debris buildup.

## **Disposal Instructions**

- Dispose of any damaged or worn screws according to local waste disposal regulations.
- Do not dispose of the product in household waste; check for recycling options or designated disposal facilities.

## **Contact Information for Further Support**

For any inquiries regarding safety or product concerns, please consult your retailer or the manufacturer's website for more information.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)