

# LSS Gen3 Forend - MDT Forend - LSS Gen3 - Tactical - Full Rail - 13.7" (348mm) - BLK

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The LSS GEN3 chassis gives you the freedom to choose the perfect forend for your rifle setup — whether you're aiming for the ultimate compact build, PRS-style competition performance, or full tactical adaptability. Each forend is designed with precision, offering the right balance of rail space, M-LOK compatibility, and barrel/suppressor clearance to fit your mission.

## Key Advantages

1. Modular Design: Select the forend length and rail layout that best matches your shooting style.
2. NV/Thermal Ready: Partial and full-length rails allow direct mounting of night vision or thermal clip-on devices.
3. M-LOK Flexibility: Generous M-LOK slots for grips, bipods, and other compatible accessories.
4. Rugged Enclosed Build: Provides stability, protection, and ergonomic handling.

NO IMAGE  
AVAILABLE

## Forend Options

5. 13.7" Enclosed Forend - 5.9" Top Rail: Compact mid-length setup with partial rail for lightweight, low-profile optics mounting.
6. 13.7" Enclosed Forend - 11.4" Top Rail: Extended top rail for more mounting space, ideal for versatile optic configurations.
7. Maximized Forend (14.5"+ barrels): Full-length integrated Picatinny rail, designed for long barrels and advanced accessory mounting (NV, thermal, lights, etc.).
8. 7.4" Enclosed Forend - 5.0" Top Rail: Compact build option, optimized for running an 8" barrel with suppressor; features x17 M-LOK slots for grip panels and accessories.

## Attributes

- Name: [MDT Forend - LSS Gen3 - Tactical - Full Rail - 13.7" \(348mm\) - BLK](#)
- Manufacturer: [MDT](#)
- Product no.: EU2015536
- Mfr. No.: 115008-BLK
- Colour: Black
- Finish: Cerakote
- Material: 6061 Aluminum
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 990482726256

# Table of Contents

- Startpage
- LSS Gen3 Forend Safety Instructions
- About Us

# LSS Gen3 Forend Safety Instructions

## Introduction

Thank you for choosing the LSS Gen3 Forend. This guide provides essential safety instructions to ensure the safe use and installation of your forend. Please read through this document carefully to understand how to use the product safely and effectively.

## General Safety Guidelines

- Always ensure that your rifle is unloaded before installing or adjusting the forend.
- Inspect the forend for any damages or defects before use. Do not use if damaged.
- Ensure that all components are securely fastened before using the rifle.
- Keep the forend and all accessories out of reach of children and vulnerable individuals.
- Be aware of your surroundings and ensure a safe shooting environment at all times.
- Familiarize yourself with the local laws and regulations regarding firearm use and modifications.

## Specific Safety Precautions for Use

- **Modular Design:** When selecting the forend length and rail layout, ensure that it complements your shooting style and does not interfere with your rifle's operation.
- **NV/Thermal Ready:** If using night vision or thermal devices, ensure they are properly mounted and secured to avoid accidents.
- **MLOK Flexibility:** Only attach compatible accessories to the MLOK slots. Follow the manufacturer's instructions for each accessory.
- **Rugged Enclosed Build:** Handle the forend with care to maintain its structural integrity. Avoid dropping or subjecting it to extreme impacts.
- **Barrel/Suppressor Clearance:** Ensure proper clearance for the barrel and suppressor to prevent overheating or damage during use.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the rifle is unloaded and pointed in a safe direction.
- Remove the existing forend (if applicable) by following the manufacturer's instructions.
- Align the LSS Gen3 Forend with the rifle's mounting system.
- Securely fasten the forend using the provided hardware, ensuring all screws are tightened to the manufacturer's specifications.
- Check for stability and ensure that the forend does not shift or wobble.

### 2. Usage:

- When using the forend, maintain a proper grip to ensure stability and control.
- Regularly check that all components are secure before and during use.
- If you experience any issues with the forend during use, cease operation immediately and inspect for any damage or loose components.

## Disposal Instructions

- Dispose of the forend and any associated materials in accordance with local regulations.
- Do not dispose of in regular household waste. Check for local recycling programs or hazardous waste facilities for proper disposal.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the LSS Gen3 Forend, please refer to the manufacturer's contact information provided with the product packaging. Always ensure you have the latest information regarding safety recalls or product updates.

## **Conclusion**

By following these safety instructions, you can ensure a safe and effective experience with your LSS Gen3 Forend. Always prioritize safety and responsible usage when handling firearms and accessories. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)