

LSS Gen3 Forend - MDT Forend - LSS Gen3 - Tactical - Full Rail - 13.7" (348mm) - FDE

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The LSS GEN3 chassis gives you the freedom to choose the perfect forend for your rifle setup — whether you're aiming for the ultimate compact build, PRS-style competition performance, or full tactical adaptability. Each forend is designed with precision, offering the right balance of rail space, M-LOK compatibility, and barrel/suppressor clearance to fit your mission.

Key Advantages

1. Modular Design: Select the forend length and rail layout that best matches your shooting style.
2. NV/Thermal Ready: Partial and full-length rails allow direct mounting of night vision or thermal clip-on devices.
3. M-LOK Flexibility: Generous M-LOK slots for grips, bipods, and other compatible accessories.
4. Rugged Enclosed Build: Provides stability, protection, and ergonomic handling.

NO IMAGE
AVAILABLE

Forend Options

5. 13.7" Enclosed Forend - 5.9" Top Rail: Compact mid-length setup with partial rail for lightweight, low-profile optics mounting.
6. 13.7" Enclosed Forend - 11.4" Top Rail: Extended top rail for more mounting space, ideal for versatile optic configurations.
7. Maximized Forend (14.5"+ barrels): Full-length integrated Picatinny rail, designed for long barrels and advanced accessory mounting (NV, thermal, lights, etc.).
8. 7.4" Enclosed Forend - 5.0" Top Rail: Compact build option, optimized for running an 8" barrel with suppressor; features x17 M-LOK slots for grip panels and accessories.

Attributes

- Name: [MDT Forend - LSS Gen3 - Tactical - Full Rail - 13.7" \(348mm\) - FDE](#)
- Manufacturer: [MDT](#)
- Product no.: EU2015537
- Mfr. No.: 115008-FDE
- Colour: FDE
- Finish: Cerakote
- Material: 6061 Aluminum
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 990482726263

Table of Contents

- Startpage
- Safety Instruction Guide for LSS Gen3 Forend MDT Forend
- About Us

Safety Instruction Guide for LSS Gen3 Forend MDT Forend

Introduction

Thank you for choosing the LSS Gen3 Forend MDT Forend. This product is designed to enhance the performance and adaptability of your rifle setup. To ensure your safety and the proper use of this product, please read this safety instruction guide carefully.

General Safety Guidelines

- Always ensure that your rifle is unloaded before installing or adjusting the forend.
- Use the forend only as intended. Improper use may lead to injury or damage.
- Regularly inspect the forend for any signs of wear or damage. If any defects are found, discontinue use immediately.
- Keep the forend and all accessories out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding the use of firearms and firearm accessories.

Specific Safety Precautions for Use

- **Modular Design:** Ensure that the selected forend length and rail layout match your shooting style. Improper configuration may affect stability and accuracy.
- **NV/Thermal Ready:** When using night vision or thermal devices, ensure they are securely mounted to prevent accidents during use.
- **MLOK Flexibility:** Only use accessories that are compatible with the MLOK slots. Improper accessories may cause instability or detachment during use.
- **Rugged Enclosed Build:** Handle the forend with care. Avoid dropping or subjecting it to extreme impacts that may compromise its integrity.

Instructions for Installation and Usage

1. Preparation:

- Ensure your rifle is unloaded and pointed in a safe direction.
- Gather all necessary tools for installation, including a torque wrench if required.

2. Installation:

- Remove the existing forend from your rifle according to the manufacturer's instructions.
- Align the LSS Gen3 Forend with the rifle's mounting points.
- Secure the forend using the provided screws and follow the recommended torque specifications to ensure a secure fit.
- Attach any desired accessories to the MLOK slots, ensuring they are compatible and properly secured.

3. Usage:

- Before each use, inspect the forend and accessories for any signs of damage.
- Practice safe handling and shooting techniques, keeping your finger off the trigger until ready to shoot.
- Be aware of your surroundings and ensure a clear line of sight when aiming.

Disposal Instructions

- When the LSS Gen3 Forend is no longer in use or is damaged beyond repair, dispose of it in accordance with local regulations.
- Consider recycling materials where possible, especially aluminum components.

Contact Information for Further Support

For any safety inquiries or support related to the LSS Gen3 Forend MDT Forend, please refer to the contact details provided by the manufacturer or authorized retailer.

By following these guidelines and instructions, you can ensure the safe and effective use of the LSS Gen3 Forend MDT Forend. Thank you for prioritizing safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk