

# OBi Clamp Lock - MOLLE - w/Locking LEFT BLK

[Shooting Accessories](#) > [Duty Gear](#)

The Clamp Lock MOLLE is designed to securely bolt onto all modular lightweight load-carrying equipment systems. It easily mounts to the webbing or panels, offering a reliable attachment point. Once attached, you can connect any round or square posts.

NO IMAGE  
AVAILABLE

## Attributes

- Name: [OBi Clamp Lock - MOLLE - w/Locking LEFT BLK](#)
- Manufacturer: [OBI SYSTEMS](#)
- Product no.: EU2015562
- Mfr. No.: OBi01015-BLK
- Colour: Black
- Delivery weight: 1kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 100mm
- UPC: 767637841313

# Table of Contents

- Startpage
- OBi Clamp Lock MOLLE Safety Instructions
- About Us

# OBi Clamp Lock MOLLE Safety Instructions

## Introduction

Thank you for choosing the OBi Clamp Lock MOLLE. This product is designed to securely attach to modular lightweight loadcarrying equipment systems, providing a reliable point for connecting round or square posts. To ensure your safety and the safety of others, please read and follow these safety instructions carefully.

## General Safety Guidelines

- Ensure that the product is used in accordance with the manufacturer's instructions.
- Regularly inspect the OBi Clamp Lock for any signs of wear or damage before each use.
- Do not exceed the weight limit specified by the manufacturer.
- Keep the product out of reach of children and vulnerable individuals.
- If you notice any defects or issues, discontinue use immediately and report it.
- Always use the product in a safe environment, free from hazards that could cause injury.

## Specific Safety Precautions for Use

- **Installation:** Ensure that the OBi Clamp Lock is installed securely to prevent accidental detachment.
- **Weight Limit:** Do not exceed the specified weight limit to avoid failure during use.
- **Environmental Conditions:** Avoid using the product in extreme temperatures or weather conditions that could compromise its integrity.
- **Proper Handling:** Use caution when handling sharp objects or tools during installation to prevent injury.
- **Connections:** Ensure that any posts connected to the Clamp Lock are stable and secure.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather all necessary tools for installation.
- Make sure the installation area is clean and free from obstructions.

### 2. Mounting the Clamp Lock:

- Locate the desired position on the webbing or panel of your loadcarrying equipment.
- Align the Clamp Lock with the webbing or panel.
- Securely bolt the Clamp Lock in place using the appropriate tools. Ensure it is tightly fastened.

### 3. Connecting Posts:

- Once the Clamp Lock is installed, connect your round or square posts.
- Ensure that the connection is secure and that there is no movement.

### 4. Final Checks:

- After installation, doublecheck that all connections are secure.
- Test the stability of the installation before using the product under load.

## Disposal Instructions

- Dispose of the OBi Clamp Lock in accordance with local regulations.
- Do not dispose of the product in general waste if it contains materials that can be recycled.
- Check with local waste management authorities for proper disposal methods for any components.

## **Contact Information for Further Support**

For any questions or concerns regarding the OBi Clamp Lock MOLLE, please refer to the manufacturer's contact information provided with the product packaging.

## **Conclusion**

Following these safety instructions will help ensure a safe and effective experience with your OBi Clamp Lock MOLLE. Remember to regularly review safety guidelines and stay informed about any updates or recalls related to this product. Thank you for prioritizing safety in your use of the OBi Clamp Lock.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)