

# 1-8x24 PM II ShortDot Dual CC - 1-8x24 PM II ShortDot Dual CC MDR 1cm cw ST MTC LT / ST ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8x24 PM II ShortDot Dual CC is a premium multipurpose riflescope designed to bridge ultra-fast close-quarters engagement and precision mid-range shooting. With a full 1-8x magnification range, it integrates both a high-visibility red-dot sight for rapid acquisition and a tactical reticle for comprehensive zoom usage.

## Key Features and Highlights

Dual focal plane system: Combines a daylight-visible red dot in the second focal plane (SFP) with a tactical reticle in the first focal plane (FFP) for consistent hold-points across the zoom range.

Patented Close-Combat Mode (CC-Mode): When set at 1x magnification the parallax is fixed at approx. 7 m for true parallax-free shooting at close range; above ~1.1x it transitions to ~100 m enabling accurate mid-range engagement.

Large exit pupil and generous eye relief: Optimized for fast, intuitive use in dynamic or static shooting scenarios—providing comfortable alignment whether standing, kneeling or prone.

Compact and rugged design: With a 30 mm main tube diameter, length of approx. 293 mm and weight of approx. 635-650 g depending on configuration, this scope is built to handle extreme conditions—including low temperatures and high recoil/shock.

High optical quality: Field of view spans roughly 35.3-4.9 m at 100 m across the zoom range, offering wide situational awareness at low magnification and refined detail at higher zoom.

Precision mechanics: Turrets are ultra-low profile, lockable, extremely durable and designed for exacting use in tactical or competition environments.

## Typical Specifications

Magnification: 1-8x

Focal Plane: Dual (1st and 2nd)

Parallax: CC-Mode ~7 m; Standard Mode ~100 m (optional up to ~300 m)

Field of View: ~35.3-4.9 m @100 m

Exit Pupil: ~9.8-3.0 mm

Eye Relief: ~90 mm

Tube Diameter: 30 mm

Length: ~293 mm

Weight: ~635-650 g

## Attributes

- Name: [1-8x24 PM II ShortDot Dual CC MDR 1cm cw ST MTC LT / ST ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015739

NO IMAGE  
AVAILABLE

- Mfr. No.: 683-811-44E-K1-H1
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537045154

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 1-8x24 PM II ShortDot Dual CC Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for 1-8x24 PM II ShortDot Dual CC Riflescope

## Introduction

Thank you for choosing the 1-8x24 PM II ShortDot Dual CC riflescope. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product to understand its features, safety precautions, and proper usage.

## General Safety Guidelines

- Ensure the riflescope is used only for its intended purpose as a precision aiming device for firearms.
- Always handle firearms and associated equipment with care and responsibility.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear before use.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always ensure that the riflescope is mounted securely to prevent it from becoming loose during use.
- **Correct Mounting:** Follow the manufacturer's instructions for proper mounting to avoid misalignment.
- **Parallax Adjustment:** Be aware of the parallax settings. Use the CloseCombat Mode (CCMode) for closerange shooting and standard mode for longer distances.
- **Environmental Considerations:** Do not expose the riflescope to extreme temperatures or moisture beyond its specifications, as this can affect performance.
- **Proper Handling:** Use both hands when adjusting the riflescope to maintain control and prevent accidental drops.
- **Use in Safe Areas:** Always use the riflescope in designated shooting areas where it is safe to discharge a firearm.

## Instructions for Installation and Usage

### 1. Installation:

- Select a suitable firearm that is compatible with the 1-8x24 PM II ShortDot Dual CC riflescope.
- Ensure the firearm is unloaded before beginning installation.
- Mount the riflescope securely on the firearm using appropriate rings and bases.
- Align the reticle with the barrel of the firearm for accurate aiming.
- Tighten all mounting screws to the manufacturer's specifications.

### 2. Usage:

- Adjust the magnification by rotating the magnification ring to the desired level between 1x and 8x.
- Use the tactical reticle for precision aiming at midrange distances.
- For closerange engagements, switch to the CCMode at 1x magnification.
- Maintain a comfortable eye relief of approximately 90 mm during use.
- Ensure the exit pupil is properly aligned with your eye for optimal visibility.

## **Disposal Instructions**

- Dispose of the riflescope in accordance with local regulations for electronic waste.
- Do not dispose of the riflescope in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any inquiries or support regarding the 1-8x24 PM II ShortDot Dual CC riflescope, please refer to the manufacturer's website or contact your local retailer for assistance.

By following these safety instructions and guidelines, you can ensure the safe and effective use of your riflescope, enhancing your shooting experience while maintaining compliance with safety regulations. Always prioritize safety and responsibility when handling firearms and related equipment.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)