

1-8x24 PM II ShortDot Dual CC - 1-8x24 PM II ShortDot Dual CC MDR 1cm ccw ST MTC LT / ST ZC LT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 1-8x24 PM II ShortDot Dual CC is a premium multipurpose riflescope designed to bridge ultra-fast close-quarters engagement and precision mid-range shooting. With a full 1-8x magnification range, it integrates both a high-visibility red-dot sight for rapid acquisition and a tactical reticle for comprehensive zoom usage.

Key Features and Highlights

Dual focal plane system: Combines a daylight-visible red dot in the second focal plane (SFP) with a tactical reticle in the first focal plane (FFP) for consistent hold-points across the zoom range.

Patented Close-Combat Mode (CC-Mode): When set at 1x magnification the parallax is fixed at approx. 7 m for true parallax-free shooting at close range; above ~1.1x it transitions to ~100 m enabling accurate mid-range engagement.

Large exit pupil and generous eye relief: Optimized for fast, intuitive use in dynamic or static shooting scenarios—providing comfortable alignment whether standing, kneeling or prone.

Compact and rugged design: With a 30 mm main tube diameter, length of approx. 293 mm and weight of approx. 635-650 g depending on configuration, this scope is built to handle extreme conditions—including low temperatures and high recoil/shock.

High optical quality: Field of view spans roughly 35.3-4.9 m at 100 m across the zoom range, offering wide situational awareness at low magnification and refined detail at higher zoom.

Precision mechanics: Turrets are ultra-low profile, lockable, extremely durable and designed for exacting use in tactical or competition environments.

Typical Specifications

Magnification: 1-8x

Focal Plane: Dual (1st and 2nd)

Parallax: CC-Mode ~7 m; Standard Mode ~100 m (optional up to ~300 m)

Field of View: ~35.3-4.9 m @100 m

Exit Pupil: ~9.8-3.0 mm

Eye Relief: ~90 mm

Tube Diameter: 30 mm

Length: ~293 mm

Weight: ~635-650 g

Attributes

- Name: [1-8x24 PM II ShortDot Dual CC MDR 1cm ccw ST MTC LT / ST ZC LT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015745

NO IMAGE
AVAILABLE

- Mfr. No.: 683-845-44E-K2-H2
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537046922

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 1-8x24 PM II ShortDot Dual CC Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 1-8x24 PM II ShortDot Dual CC Riflescope

Introduction

Thank you for choosing the 1-8x24 PM II ShortDot Dual CC riflescope. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before using the riflescope to familiarize yourself with the necessary precautions and instructions.

General Safety Guidelines

- **Product Safety:** Ensure that the riflescope is used according to the manufacturer's instructions to minimize risks associated with its use.
- **Enhanced Recalls:** Be aware of any recall notices related to the product. If a recall occurs, follow the provided instructions for returning or exchanging the product.
- **Online Shopping:** If purchased online, ensure that the seller complies with safety regulations similar to those of physical stores.
- **Special Consumer Focus:** Extra caution should be taken when the product is used by vulnerable groups, including children. Always supervise use around minors.
- **EU Contact Point:** For any safety inquiries, consult the product's EU-based contact information, which can typically be found on the packaging or the manufacturer's website.
- **Rapid Alerts:** Stay informed about safety updates or alerts regarding the product through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or subjecting it to strong impacts.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm according to the manufacturer's instructions. A loose mount can lead to misalignment and unsafe operation.
- **Magnification Adjustment:** Be cautious when adjusting the magnification. Ensure that your focus is on the target and that you are in a safe shooting position.
- **Parallax Adjustment:** Familiarize yourself with the CloseCombat Mode (CCMode) and standard mode settings to ensure proper use and accurate shooting.
- **Environmental Conditions:** Avoid using the riflescope in extreme weather conditions that may impair visibility or affect the functionality of the scope.
- **Cleaning:** Regularly inspect and clean the lenses as per the manufacturer's recommendations to maintain optimal visibility and performance.

Instructions for Installation and Usage

1. Installation:

- Select a compatible firearm for mounting the riflescope.
- Securely attach the riflescope to the firearm using appropriate mounting rings and bases.
- Ensure that the riflescope is level and properly aligned with the barrel.

2. Usage:

- Before firing, ensure that you are in a safe environment and that all safety protocols are followed.
- Adjust the magnification to the desired level, starting from the lowest setting for closequarters engagements.
- Utilize the red dot sight for rapid target acquisition in closerange scenarios.
- When transitioning to midrange shooting, use the tactical reticle for precise aiming.

- Always be aware of your surroundings and ensure that there is a safe backstop behind your target.

3. PostUse:

- After use, clean the riflescope according to the manufacturer's instructions.
- Store the riflescope in a dry, secure location to prevent damage.

Disposal Instructions

- Dispose of the riflescope and its components in accordance with local regulations.
- Do not dispose of the product in regular household waste. Instead, contact your local waste management authority for proper disposal methods.
- If the product is damaged or no longer functional, consider recycling materials where possible.

Contact Information for Further Support

For any questions or concerns regarding the 1-8x24 PM II ShortDot Dual CC riflescope, please refer to the manufacturer's contact information provided on the packaging or their official website.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your riflescope. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk