

3-12x50 PM II - 3-12x50 PM II LP P3L 1cm ccw DT / ST

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-12×50 PM II from Schmidt and Bender is a professional-grade riflescope tailored for serious marksmen, law-enforcement professionals, and hunters who demand top-tier optical and mechanical performance. Featuring a 3-12× magnification range and a 50 mm objective lens, it delivers excellent clarity, brightness, and flexibility across mid to longer engagement distances.

Equipped with a first focal plane (FFP) reticle, this scope ensures the reticle scale remains accurate throughout the entire zoom range—crucial for distance estimation and fast holdover corrections. With about 90 mm of eye relief, it offers comfortable viewing and rapid sight alignment in diverse shooting positions.

NO IMAGE
AVAILABLE

The field of view spans approximately 11.1–3.4 m at 100 m, providing broad situational awareness at lower magnification and detailed target framing at higher zoom. The exit pupil ranges from around 14.3–4.3 mm, supporting bright and precise imagery even in challenging light conditions. Built on a robust 34 mm tube diameter, it offers enhanced adjustment range and mechanical durability for demanding use.

Key Specifications:

Magnification: 3-12×
Objective Lens Diameter: 50 mm
Reticle: First Focal Plane (FFP)
Eye Relief: approx. 90 mm
Field of View: approx. 11.1–3.4 m @100 m
Exit Pupil: approx. 14.3–4.3 mm
Tube Diameter: 34 mm

Crafted in Germany with meticulous precision, the 3-12×50 PM II represents a benchmark in optical performance and mechanical integrity—designed for users who prioritise clarity, reliability and long-term excellence in the field.

Attributes

- Name: [3-12x50 PM II LP P3L 1cm ccw DT / ST](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015749
- Mfr. No.: 644-911-882-92-69A38
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537001396

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-12x50 PM II Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-12x50 PM II Riflescope

Introduction

Thank you for choosing the 3-12x50 PM II Riflescope from Schmidt and Bender. This product is designed for professional use, providing exceptional optical performance and mechanical reliability. To ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR), please carefully read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by following all instructions. This product is designed for outdoor shooting and should not be used for any other purpose.
- **Enhanced Recalls:** Stay informed about product recalls. In the event of a safety issue, standardized recall notices will be provided.
- **Online Shopping:** If purchased online, ensure the seller complies with safety requirements. Verify that the product is genuine and meets EU standards.
- **Special Consumer Focus:** This product is not intended for use by children. Ensure it is stored securely and out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the contact information provided by the retailer or manufacturer.
- **Rapid Alerts:** Check the EU Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope. This is crucial for maintaining safety while shooting.
- **Handling:** Handle the riflescope with care. Avoid dropping or subjecting it to impact, as this may affect its performance.
- **Mounting:** Ensure that the riflescope is mounted securely on the rifle. Follow the manufacturer's guidelines for proper installation.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may impair its functionality, such as heavy rain or snow.
- **Cleaning:** Use a soft, dry cloth for cleaning the lenses. Avoid using harsh chemicals or abrasive materials that may scratch the lens surface.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting location on your rifle, ensuring it is stable and secure.
- Follow the manufacturer's instructions for mounting the riflescope. Ensure that all screws and mounts are tightened properly to prevent movement during use.
- Verify that the riflescope is aligned correctly with the rifle's barrel.

2. Usage:

- Before using the riflescope, ensure that the rifle is unloaded and pointed in a safe direction.
- Adjust the magnification to the desired level (3-12x) based on your shooting requirements.
- Check the eye relief (approximately 90 mm) to ensure comfortable viewing without risking injury.
- Use the reticle for accurate aiming. Remember that the reticle scale remains consistent throughout the zoom range.

- Be aware of your surroundings and ensure that you have a clear line of sight before taking a shot.

Disposal Instructions

- Dispose of the riflescope responsibly. Do not dispose of it in regular household waste.
- Check local regulations for proper disposal methods for optical equipment.
- Consider recycling options where available.

Contact Information for Further Support

For any questions or support regarding the 3-12x50 PM II Riflescope, please refer to the contact information provided by the retailer or manufacturer. Ensure you have the product details ready when seeking assistance.

By following these safety instructions, you help ensure a safe and enjoyable experience with your 3-12x50 PM II Riflescope. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk