

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP GR²ID 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP GR²ID 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015755
- Mfr. No.: 667-911-422-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537061956

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this manual carefully before using the product to maximize your safety and performance.

General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by following all instructions and guidelines provided in this manual.
- **Enhanced Recalls:** Stay informed about any product recalls. Report any dangerous products to the authorities.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements.
- **Special Consumer Focus:** Keep the product out of reach of children and vulnerable individuals to prevent accidents.
- **EU Contact Point:** For safety inquiries, refer to the designated EU contact point associated with this product.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care. Avoid dropping or subjecting it to strong impacts.
- **Mounting:** Ensure the riflescope is securely mounted on your firearm according to the manufacturer's guidelines.
- **Eye Protection:** Always wear appropriate eye protection when using the riflescope.
- **Environment:** Avoid using the riflescope in extreme weather conditions, such as heavy rain or snow, which may impair visibility.
- **Maintenance:** Regularly check and maintain the riflescope to ensure optimal performance and safety.
- **Storage:** Store the riflescope in a dry, cool place when not in use. Use a protective case to prevent damage.

Instructions for Installation and Usage

- **Installation:**
 - Ensure the firearm is unloaded before installation.
 - Follow the specific mounting instructions provided in the firearm's manual.
 - Securely attach the riflescope to the firearm using the appropriate mounting rings.
 - Check alignment and adjust as necessary to ensure proper functionality.
- **Usage:**
 - Adjust the magnification as needed for your shooting distance.
 - Use the side parallax adjustment to enhance accuracy based on your shooting distance (from approx. 25 m to infinity).
 - Ensure a proper eye relief of approximately 90 mm for comfortable viewing.
 - Maintain a firm grip on the firearm while aiming and shooting.
 - After use, clean the lenses with a soft, lintfree cloth to maintain clarity.

Disposal Instructions

- **Environmental Responsibility:** Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.
- **Recycling:** Consider recycling components where possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the safety and usage of your 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's website or customer service for assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your riflescope. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk