

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015756
- Mfr. No.: 667-911-532-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537010756

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- **Product Safety:** This riflescope is designed to ensure safe use. Always follow the instructions provided to minimize risks associated with its use.
- **Enhanced Recalls:** In the unlikely event of a safety issue, recall notices will be standardized. Please stay informed about any potential recalls.
- **Online Shopping:** If purchased online, ensure that the retailer complies with safety requirements similar to those of physical stores.
- **Special Consumer Focus:** Extra care should be taken when the product is used around vulnerable groups, including children.
- **EU Contact Point:** For any safety inquiries, refer to the EU-based contact provided by the retailer or manufacturer.
- **Rapid Alerts:** Stay updated on unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Use in Safe Environments:** Always use the riflescope in a secure and controlled environment. Avoid using it in crowded or unsafe locations.
- **Avoid Direct Eye Exposure:** Never look directly into the sun or any bright light source through the riflescope, as this can cause serious eye damage.
- **Check for Damage:** Before each use, inspect the riflescope for any signs of damage or wear. Do not use if damaged.
- **Keep Out of Reach of Children:** Store the riflescope in a secure location away from children and unauthorized users.
- **Use Protective Gear:** When shooting, wear appropriate eye and ear protection to safeguard against potential hazards.

Instructions for Installation and Usage

- **Installation:**

1. **Select a Mounting Platform:** Choose a suitable firearm that is compatible with the riflescope.
2. **Mount the Riflescope:** Securely attach the riflescope to the firearm using the appropriate mounting rings and bases. Ensure it is tightly fixed to prevent movement during use.
3. **Adjust the Position:** Position the riflescope so that it aligns with your eye level when aiming.

- **Usage:**

1. **Adjust the Magnification:** Use the magnification dial to set the desired level of zoom (3-20x).
2. **Focus the Reticle:** Adjust the focus to ensure the reticle is clear and sharp for accurate aiming.
3. **Check Parallax Setting:** Adjust the side parallax knob to suit the distance of your target (from approx. 25 m to infinity).
4. **Practice Safe Shooting:** Always follow safe shooting practices. Ensure the area is clear of people and obstacles before firing.

Disposal Instructions

- **Proper Disposal:** When the riflescope reaches the end of its life cycle, dispose of it in accordance with local regulations. Do not dispose of it in regular household waste.
- **Recycling:** If possible, recycle the materials according to local recycling guidelines to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact information provided with your purchase. It is important to reach out to the appropriate support team for assistance.

By adhering to these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk