

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm cw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm cw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015757
- Mfr. No.: 667-911-972-F2-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537010336

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety instructions and guidelines to ensure the safe and effective use of your riflescope. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding the use of riflescopes and firearms.
- Always handle the riflescope and firearm with care to prevent accidents and injuries.
- Keep the riflescope out of reach of children and unauthorized users.
- Inspect the riflescope regularly for any signs of damage or wear.
- Do not use the riflescope if it is damaged or malfunctioning.
- Store the riflescope in a safe, dry place when not in use.
- Be aware of your surroundings and ensure that you have a clear line of sight before aiming and shooting.
- Use appropriate eye protection while using the riflescope.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded when attaching or detaching the riflescope.
- Use the riflescope only for its intended purpose as specified in this manual.
- Do not look directly at the sun or any bright light sources through the riflescope as this may cause permanent eye damage.
- Adjust the magnification settings carefully to avoid sudden changes in the field of view.
- Make sure that the mounting system is secure before each use to prevent the riflescope from shifting or falling.
- Maintain a proper shooting stance and grip to ensure stability while aiming.
- Be aware of recoil and ensure that you are positioned to handle it safely.
- Avoid using the riflescope in extreme weather conditions that may affect visibility or performance.

Instructions for Installation and Usage

Installation

1. Mounting the Riflescope

- Ensure that the firearm is unloaded.
- Choose a suitable mounting platform on your rifle.
- Attach the riflescope to the mounting rings according to the manufacturer's instructions.
- Tighten the mounting screws securely, ensuring that the riflescope is level.

2. Zeroing the Riflescope

- Set the magnification to the lowest setting.
- Use a stable shooting rest to aim at a target.
- Adjust the windage and elevation turrets according to the manufacturer's instructions to align the point of impact with the point of aim.

Usage

1. Adjusting the Magnification

- Rotate the magnification ring to adjust the zoom level according to your needs.
- Use lower magnification for broader situational awareness and higher magnification for detailed targeting.

2. Using the Reticle

- Familiarize yourself with the illuminated reticle settings.
- Adjust the illumination level based on the ambient light conditions for optimal visibility.

3. Parallax Adjustment

- Adjust the side parallax knob to eliminate parallax error, especially at varying distances.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical devices.
- Do not dispose of the riflescope in regular household waste.
- Contact local recycling centers or waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use and safety of your 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's website or contact your local distributor.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your riflescope. Always prioritize safety and responsible usage. Thank you for choosing Schmidt and Bender.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk