

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP MSR2 1cm cw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP MSR2 1cm cw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015758
- Mfr. No.: 667-911-822-F2-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537030136

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope from Schmidt and Bender. This guide provides essential safety instructions and information to ensure the safe and effective use of your product. Please read this guide carefully before use to maximize your safety and the performance of the riflescope.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose as a precision aiming device for firearms.
- Always handle firearms and riflescopes with care and respect, following all applicable laws and regulations.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If any issues are found, discontinue use immediately and seek professional assistance.
- Be aware of your surroundings and ensure a safe shooting environment to prevent accidents and injuries.

Specific Safety Precautions for Use

- Always use the riflescope in accordance with the manufacturer's instructions and recommendations.
- Ensure that the riflescope is securely mounted to the firearm before use.
- Use appropriate eye protection while shooting to prevent injury from recoil or debris.
- Do not look directly at the sun or other intense light sources through the riflescope, as this may cause severe eye damage.
- Be mindful of the exit pupil and eye relief specifications to ensure a comfortable and safe shooting position.
- Adjust the parallax settings according to the distance of the target to maintain accuracy and safety.
- Use only compatible accessories and parts that are approved by the manufacturer.

Instructions for Installation and Usage

• Installation Steps:

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Securely mount the riflescope onto the firearm using the provided mounting rings and base.
3. Align the riflescope according to the manufacturer's guidelines for proper eye relief and alignment.
4. Tighten all screws and mounts securely, ensuring there is no movement during operation.

• Usage Steps:

1. Set the magnification to the desired level based on the shooting distance.
2. Adjust the parallax setting to match the distance of the target for optimal clarity.
3. Use the illuminated reticle feature for lowlight conditions, if available.
4. Maintain a stable shooting position and aim carefully before taking a shot.
5. After use, clean the lenses with a soft cloth to maintain optical clarity.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.
- Do not dispose of the riflescope in regular household waste.

- If the riflescope is damaged or no longer functional, contact a professional for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further assistance regarding your 3-20x50 PM II Ultra Short riflescope, please refer to the manufacturer's contact details provided with your product packaging.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short riflescope. Remember to stay informed about any safety recalls or updates through the relevant authorities and platforms. Your safety is paramount, and we appreciate your commitment to responsible firearm use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk