

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TR²ID 1cm cw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TR²ID 1cm cw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015759
- Mfr. No.: 667-911-432-F2-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070880

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Always handle the riflescope with care to prevent damage.
- Ensure that the riflescope is securely mounted before use.
- Do not look directly at the sun through the riflescope, as this may cause permanent eye damage.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Regularly check for any signs of wear or damage to the riflescope and its mounting system.
- Follow local laws and regulations regarding the use of firearms and optics.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection while using firearms equipped with this riflescope.
- **Mounting:** Ensure that the riflescope is mounted according to the manufacturer's instructions to avoid misalignment or detachment during use.
- **Adjustment:** Make adjustments to the riflescope's settings only when the firearm is pointed in a safe direction.
- **Cleaning:** Use only recommended cleaning materials and methods to avoid damaging the optical surfaces.
- **Storage:** Store the riflescope in a dry, cool place when not in use to prevent moisture damage.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting platform that is compatible with the 34 mm main tube of the riflescope.
- Securely attach the riflescope to the mounting platform using the appropriate tools and hardware provided.
- Ensure that the riflescope is level and properly aligned with the firearm's barrel.

2. Usage:

- Adjust the magnification by rotating the magnification ring to achieve the desired level of zoom.
- Use the side parallax adjustment to ensure a clear image at varying distances.
- Check the eye relief to ensure that your eye is positioned correctly to avoid recoil impact.
- Utilize the illuminated reticle options for enhanced visibility in lowlight conditions.

3. PostUse Care:

- After use, clean the exterior of the riflescope with a soft, lintfree cloth.
- Store the riflescope in its protective case to prevent scratches and damage.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optics.
- Do not dispose of the riflescope in household waste. Instead, take it to an authorized recycling facility or return it to the manufacturer for proper disposal.

Contact Information for Further Support

For any safety inquiries or support related to the 3-20x50 PM II Ultra Short Riflescope, please reach out to the manufacturer or your point of purchase.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk