

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm cw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm cw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015762
- Mfr. No.: 667-911-972-M3-I6
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537040128

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope by Schmidt and Bender. This guide provides essential safety information to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that you are familiar with the local laws and regulations regarding the ownership and use of riflescopes.
- Always handle the riflescope with care to avoid damage.
- Store the riflescope in a safe, dry place when not in use.
- Inspect the riflescope regularly for any signs of damage or wear.
- Do not attempt to disassemble or modify the riflescope, as this may void the warranty and pose safety risks.
- Keep the riflescope out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Use the riflescope only as intended and in accordance with the manufacturer's instructions.
- Avoid looking directly at the sun through the riflescope, as this can cause serious eye damage.
- Ensure that the riflescope is securely mounted to your firearm before use.
- Always keep the muzzle of the firearm pointed in a safe direction.
- Use eye protection while shooting to prevent injury from recoil or debris.
- Be aware of your surroundings and ensure that you have a clear line of sight before firing.
- If you feel unwell or fatigued, do not use the riflescope.

Instructions for Installation and Usage

1. Installation:

- Ensure that your firearm is unloaded before mounting the riflescope.
- Use the appropriate mounting rings for the 34 mm main tube of the riflescope.
- Align the riflescope parallel to the barrel of the firearm.
- Tighten the mounting screws securely but do not overtighten, as this may damage the scope or firearm.

2. Usage:

- Adjust the magnification by rotating the magnification ring to your desired setting (3x to 20x).
- Adjust the objective lens focus by turning the parallax adjustment knob to ensure a clear image.
- Use the elevation and windage turrets to zero the riflescope according to your shooting requirements.
- Always check the eye relief of approximately 90 mm to ensure a comfortable and safe shooting position.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and hazardous materials.

- Do not dispose of the riflescope in regular household waste.
- If the riflescope is damaged beyond repair, contact a local waste management authority for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding the safety and use of your 3–20x50 PM II Ultra Short Riflescope, please reach out to the manufacturer or your local dealer. Ensure you have the product information ready for assistance.

This guide is intended to provide essential safety information to ensure the safe and effective use of the 3–20x50 PM II Ultra Short Riflescope. Always prioritize safety and adhere to the guidelines provided. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk