

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP MSR2 1cm cw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP MSR2 1cm cw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015763
- Mfr. No.: 667-911-822-M3-I6
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537040067

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short by Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure safe and effective use of your riflescope. Please read this manual carefully before using the product.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose, which is to enhance the accuracy of shooting activities.
- Always handle the riflescope with care to avoid damage or injury.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Regularly inspect the riflescope for any signs of damage or wear. If damaged, cease use immediately and consult a professional.
- Follow all local laws and regulations regarding the use of firearms and optics.
- Be aware of your surroundings while using the riflescope to ensure the safety of yourself and others.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection while using the riflescope to prevent injury from recoil or debris.
- **Mounting:** Ensure that the riflescope is securely mounted on the firearm. Follow the manufacturer's instructions for mounting.
- **Adjustments:** Make all necessary adjustments (magnification, focus, parallax) before aiming at a target. Avoid making adjustments while aiming at a target.
- **Shooting Position:** Maintain a stable shooting position to ensure accuracy and safety.
- **Lighting Conditions:** Be mindful of lighting conditions. Ensure that the area is adequately lit for optimal visibility through the scope.
- **Cleaning:** Use only recommended cleaning materials and methods to maintain the optics. Avoid using harsh chemicals.

Instructions for Installation and Usage

1. Installation:

- Select a suitable firearm that is compatible with the 3-20x50 PM II Ultra Short.
- Carefully mount the riflescope onto the firearm using the provided mounting rings and tools.
- Ensure that the riflescope is level and securely tightened to prevent movement during use.

2. Usage:

- Before using the riflescope, familiarize yourself with its features and adjustments.
- Adjust the magnification according to your shooting distance and conditions.
- Use the side parallax adjustment to enhance clarity based on the distance to the target.
- When aiming, ensure that your eye is positioned correctly to avoid injury from recoil.
- After use, store the riflescope in a protective case to prevent damage.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations for electronic equipment and optics.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer in use, consider recycling options or consult with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions, you ensure not only your safety but also the longevity and performance of your 3-20x50 PM II Ultra Short riflescope. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk