

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP GR²ID 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015770
- Mfr. No.: 667-911-422-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537064490

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope by Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure the riflescope is used only for its intended purpose as a sighting device for firearms.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If damage is found, discontinue use immediately.
- Be aware of your surroundings and ensure that your shooting area is safe and free from obstacles.
- Follow all local laws and regulations regarding the use of firearms and optics.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Handling:** Always treat the riflescope as if it is loaded. Never point it at anything you do not intend to shoot.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm before use. Follow the manufacturer's instructions for mounting.
- **Sighting In:** When sighting in your riflescope, do so in a controlled environment, ensuring that the area downrange is clear.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may impair visibility or damage the device.
- **Cleaning:** Use only recommended cleaning materials and methods to avoid damaging the optical surfaces.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting location on your firearm.
- Securely attach the riflescope using the provided mounting rings or bases.
- Ensure that the scope is level and aligned with the barrel.

2. Usage:

- Adjust the magnification according to your shooting needs.
- Use the side parallax adjustment to ensure a clear image at varying distances.
- Maintain a proper shooting position to utilize the eye relief effectively.
- Regularly check the focus and clarity of the image while using the riflescope.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical devices.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer functional, consider recycling the components where possible.

Contact Information for Further Support

For any inquiries or safety concerns regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact information provided in the product packaging or visit the manufacturer's website.

By following these guidelines, you can ensure the safe and effective use of your riflescope. Thank you for your attention to safety and for choosing Schmidt and Bender.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk