

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015771
- Mfr. No.: 667-911-532-G8-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537010879

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short Rifle Scope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your rifle scope. Please read this manual carefully before using the product.

General Safety Guidelines

- Ensure the product is used only for its intended purpose. This rifle scope is designed for use with firearms.
- Always handle firearms and associated equipment with care to prevent accidents.
- Keep the rifle scope out of reach of children and unauthorized users.
- Inspect the rifle scope and its mounting system regularly for any signs of wear or damage.
- Always use the rifle scope in accordance with local laws and regulations regarding firearms and optics.

Specific Safety Precautions for Use

- Do not look directly at the sun through the rifle scope, as this may cause permanent eye damage.
- Ensure that the rifle scope is securely mounted to the firearm to prevent it from becoming loose during use.
- Avoid using the rifle scope in extreme weather conditions that could impair visibility or cause damage.
- Be aware of your surroundings and ensure that you have a clear line of sight before firing.
- Use appropriate eye and ear protection while shooting.

Instructions for Installation and Usage

Installation

1. Mounting the Rifle Scope:

- Select a suitable mounting base for your firearm.
- Secure the mounting rings onto the base, ensuring they are tightened adequately.
- Place the rifle scope in the rings and center it in the mounting area.
- Tighten the rings securely, ensuring the rifle scope is stable.

2. Adjusting the Focus:

- Adjust the eyepiece to achieve a clear image. Turn the eyepiece until the reticle is sharp and clear.

3. Setting the Elevation and Windage:

- Use the elevation and windage turrets to adjust the point of impact. Follow the manufacturer's instructions for specific adjustments.

Usage

• Adjusting Magnification:

- Rotate the magnification ring to select the desired level of magnification between 3x and 20x.

• Using the Reticle:

- Familiarize yourself with the reticle features and how to utilize them for aiming and range estimation.

- **Parallax Adjustment:**

- Adjust the parallax setting for optimal accuracy based on the distance to your target.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical equipment.
- Do not dispose of the product in regular household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For safety inquiries or assistance with your product, please reach out to the appropriate local authorities or customer service channels as needed.

Conclusion

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short riflescope. Always prioritize safety and responsibility when handling firearms and optics. Thank you for your purchase.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk