

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TR²ID 1cm ccw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TR²ID 1cm ccw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015774
- Mfr. No.: 667-911-432-F1-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537070897

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope by Schmidt and Bender. This guide is designed to provide essential safety information and usage instructions to ensure your safety and the optimal performance of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure safe handling and use of the riflescope, adhering to all local laws and regulations regarding firearms and optical devices.
- Be aware of potential hazards associated with the use of optical devices, including improper mounting and handling.
- Regularly check for recalls and safety updates related to the product on the EU's Safety Gate platform.
- If you encounter any unsafe product conditions, report them to the relevant authorities.

Specific Safety Precautions for Use

- Always handle the riflescope with care to prevent damage.
- Do not look directly at the sun through the riflescope, as this can cause permanent eye damage.
- Ensure the riflescope is securely mounted to prevent it from loosening during use.
- Keep the riflescope clean and free from obstructions to maintain optimal performance.
- Use the riflescope only for its intended purpose—aiming and shooting with compatible firearms.
- Store the riflescope in a safe place away from children and unauthorized users.

Instructions for Installation and Usage

1. Installation:

- Choose a suitable mounting platform that is compatible with the 34 mm main tube diameter.
- Securely attach the riflescope to the firearm according to the manufacturer's mounting instructions.
- Ensure the riflescope is level and properly aligned before tightening all screws.

2. Usage:

- Adjust the magnification according to your shooting requirements, ranging from 3× to 20×.
- Utilize the illuminated reticle options for enhanced visibility in lowlight conditions.
- Adjust the side parallax setting for optimal accuracy, especially at varying distances.
- Maintain a proper eye relief of approximately 90 mm to ensure comfort during shooting.
- Regularly check the field of view and exit pupil for clarity and focus.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical devices.
- Do not dispose of the product in regular household waste.
- Contact a local waste disposal facility for guidance on proper disposal methods.

Contact Information for Further Support

For any inquiries or safety concerns regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact details provided in the product packaging or visit the manufacturer's website for more information.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the 3-20x50 PM II Ultra Short Riflescope!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk