

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015776
- Mfr. No.: 667-911-532-F1-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537010374

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions and usage guidelines to ensure safe and effective operation of your new riflescope. Adhering to these guidelines will help you avoid potential hazards and maximize your shooting experience.

## General Safety Guidelines

- Always treat the riflescope as if it is loaded, even when not in use.
- Keep the riflescope out of reach of children and unauthorized users.
- Ensure that you are in a safe environment before using the riflescope.
- Regularly inspect the riflescope for any signs of damage or wear.
- Do not use the riflescope if it is damaged or malfunctioning.
- Follow all local laws and regulations regarding the use of riflescopes and firearms.
- Be aware of your surroundings and ensure a clear line of sight before aiming or firing.
- Report any unsafe products or accidents to the appropriate authorities.

## Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope.
- **Mounting:** Ensure that the riflescope is securely mounted to the firearm to prevent movement during use.
- **Adjustments:** Make all adjustments (magnification, parallax, etc.) while the firearm is pointed in a safe direction.
- **Cleaning:** Use only recommended cleaning materials and methods to maintain the optical surfaces.
- **Weather Conditions:** Avoid using the riflescope in extreme weather conditions that may affect its performance or your safety.
- **Storage:** Store the riflescope in a dry, cool place when not in use to prevent damage.

## Instructions for Installation and Usage

### 1. Mounting the Riflescope:

- Select a suitable mounting platform compatible with the 34 mm main tube.
- Securely attach the riflescope to the firearm according to the manufacturer's mounting instructions.
- Ensure the riflescope is level and properly aligned with the barrel.

### 2. Adjusting the Riflescope:

- Set the magnification to the desired level using the magnification ring.
- Adjust the side parallax knob to match the distance to your target (from approx. 25 m to infinity).
- Check the eye relief (approximately 90 mm) to ensure a comfortable and safe shooting position.

### 3. Using the Riflescope:

- Position yourself in a stable shooting stance.
- Look through the ocular lens and adjust the focus as necessary.
- Take aim at your target and ensure a clear line of sight.
- When ready, fire the firearm while maintaining control and awareness of your surroundings.

#### **4. PostUse Care:**

- After use, clean the lenses with a soft, lintfree cloth.
- Store the riflescope in a protective case to prevent damage.

### **Disposal Instructions**

- Dispose of the riflescope in accordance with local regulations for electronic waste and optical devices.
- Do not dispose of the riflescope in regular household waste.
- If the riflescope is damaged beyond repair, contact a local waste management facility for guidance on proper disposal.

### **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and use of the 3-20x50 PM II Ultra Short Riflescope, please refer to the contact details provided by the manufacturer or your retailer. Always ensure that you have access to support for safetyrelated questions.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to safety, and happy shooting!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)