

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP P4FL 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015777
- Mfr. No.: 667-911-972-M2-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537039979

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your product. Please read this guide carefully before using the riflescope.

General Safety Guidelines

- Ensure that the riflescope is used in accordance with all local laws and regulations regarding firearms and optics.
- Always treat the riflescope as if it is loaded, even when it is not.
- Store the riflescope in a safe and secure location to prevent unauthorized access, especially by children.
- Regularly inspect the riflescope for any signs of damage or wear. If any issues are found, cease use immediately and seek professional assistance.
- Be aware of your surroundings and ensure that you have a clear line of sight before aiming or shooting.

Specific Safety Precautions for Use

- Always use the riflescope in a safe shooting environment.
- Utilize appropriate eye protection when using the riflescope to prevent injury from recoil or other hazards.
- Ensure that the riflescope is securely mounted to the firearm before use.
- Do not attempt to disassemble or modify the riflescope, as this may compromise its safety and performance.
- Avoid looking directly at bright light sources through the riflescope, as this can damage the optics and impair vision.
- Keep the objective lens clean and free from obstructions to maintain optimal performance and clarity.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before installation.
- Mount the riflescope securely on the firearm using appropriate rings and bases.
- Adjust the position of the scope to ensure proper eye relief (approximately 90 mm) for comfortable viewing.
- Tighten all mounting screws to the manufacturer's specifications to ensure a secure fit.

2. Usage:

- Before aiming, ensure that the area is clear of people and obstacles.
- Adjust the magnification from 3x to 20x as needed for the shooting distance.
- Use the side parallax adjustment to ensure accurate targeting at various distances (from approx. 25 m to infinity).
- Take time to familiarize yourself with the illuminated reticle options for optimal sighting during different lighting conditions.
- Always maintain a firm grip on the firearm while aiming and shooting.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical devices.
- If the product is no longer usable, consider returning it to the manufacturer for proper disposal.
- Do not dispose of the riflescope in regular household waste.

Contact Information for Further Support

For any safety inquiries or concerns regarding your 3-20x50 PM II Ultra Short riflescope, please refer to the manufacturer's official website or customer support resources.

By following these guidelines and precautions, you can ensure the safe and effective use of your riflescope. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk