

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT II+ MTC LT / ST II ZC LT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT II+ MTC LT / ST II ZC LT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015781
- Mfr. No.: 667-911-532-M2-I5
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537039887

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short](#)
- [About Us](#)

# Safety Instruction Guide for the 3-20x50 PM II Ultra Short

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope. This guide provides essential safety instructions to ensure safe and effective use of your product. It complies with the EU General Product Safety Regulation (GPSR) to protect consumers and promote safe practices.

## General Safety Guidelines

- Always handle the riflescope with care to avoid damage.
- Ensure that the riflescope is mounted securely to your firearm before use.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear.
- Be aware of your surroundings and ensure a clear line of sight when using the riflescope.
- Do not use the riflescope for purposes other than its intended use.
- Report any unsafe conditions or accidents involving the product to the appropriate authorities.

## Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope to prevent injury from recoil or debris.
- **Secure Mounting:** Ensure the riflescope is properly mounted according to the manufacturer's instructions to avoid accidents.
- **Adjustments:** Make any adjustments to the elevation and windage controls only when the firearm is pointed in a safe direction.
- **Parallax Adjustment:** Use the side parallax adjustment feature carefully, ensuring it is set to the appropriate distance for your target.
- **Lighting Conditions:** Be cautious when using the illuminated reticle in lowlight conditions to avoid disorientation.
- **Maintenance:** Follow the manufacturer's guidelines for cleaning and maintaining the riflescope to ensure optimal performance.

## Instructions for Installation and Usage

### 1. Installation:

- Select a suitable mounting platform for the riflescope.
- Ensure the firearm is unloaded and pointed in a safe direction.
- Securely attach the riflescope to the firearm using appropriate mounting rings and bases.
- Confirm that the riflescope is level and aligned with the barrel.

### 2. Usage:

- Adjust the magnification to the desired level using the magnification ring.
- Focus the reticle by adjusting the eyepiece until the reticle appears sharp.
- Use the elevation and windage turrets to zero the riflescope according to your shooting requirements.
- When ready to shoot, ensure that you have a clear view and that the area is safe.

## **Disposal Instructions**

- Dispose of the riflescope in accordance with local regulations and guidelines.
- If the product is no longer usable, consider recycling components where applicable.
- Do not dispose of the riflescope in household waste.

## **Contact Information for Further Support**

For any safety inquiries or further assistance, please refer to the manufacturer's contact information provided with your product.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short riflescope. Thank you for your attention to safety, and happy shooting!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)