

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP MSR2 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP MSR2 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015783
- Mfr. No.: 667-945-822-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537030297

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short](#)
- [About Us](#)

# Safety Instruction Guide for 3-20x50 PM II Ultra Short

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short riflescope by Schmidt and Bender. This product is designed for highperformance shooting across medium to long distances. To ensure your safety and the optimal use of this product, please read and follow the safety instructions provided in this guide.

## General Safety Guidelines

- Ensure that the product is used only for its intended purpose as a riflescope.
- Always handle the riflescope with care to avoid damage.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly check the product for any signs of wear or damage.
- If you suspect that the product is unsafe or malfunctioning, discontinue use immediately and seek assistance.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU Safety Gate platform.

## Specific Safety Precautions for Use

- Always ensure the riflescope is securely mounted on the firearm before use.
- Verify that the firearm is unloaded when mounting or adjusting the riflescope.
- Use the riflescope only in suitable environments and conditions to avoid accidents.
- Avoid looking directly at the sun or bright lights through the riflescope, as this may cause permanent eye damage.
- Maintain a safe distance from others while using the riflescope.
- Follow all local laws and regulations regarding the use of firearms and riflescopes.

## Instructions for Installation and Usage

### 1. Installation:

- Select a suitable mounting platform on your firearm.
- Ensure the firearm is unloaded before beginning the installation.
- Align the riflescope with the mounting rings and securely fasten it according to the manufacturer's instructions.
- Check the alignment and adjust as necessary to ensure proper sighting.

### 2. Usage:

- Adjust the magnification according to your shooting requirements.
- Use the side parallax adjustment to ensure clarity at different distances.
- Maintain a proper shooting position to utilize the eye relief effectively.
- Keep both eyes open when using the riflescope for better situational awareness.
- Regularly check the focus and clarity of the optics, making adjustments as needed.

## Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic waste and nonbiodegradable materials.
- Do not throw the product in regular household waste.

- Consider recycling the product if possible, or return it to a designated disposal facility.

## **Contact Information for Further Support**

For any safety inquiries or additional support regarding the 3-20x50 PM II Ultra Short riflescope, please refer to the manufacturer's website or contact a local authorized dealer for assistance.

By following these safety instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short riflescope. Thank you for your attention to these important guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)