

# 3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×  
Objective Lens Diameter: 50 mm  
Main Tube Diameter: 34 mm  
Field of View: approx. 13.0–2.1 m @100 m  
Exit Pupil: approx. 11.4–2.5 mm  
Eye Relief: approx. 90 mm  
Length: approx. 340 mm  
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

## Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015786
- Mfr. No.: 667-945-532-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537011753

NO IMAGE  
AVAILABLE

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

# Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

## Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope by Schmidt and Bender. This guide provides important safety instructions, usage guidelines, and disposal information to ensure your safety and the effective use of this product. Please read this manual carefully before using the riflescope.

## General Safety Guidelines

- **Product Safety:** Ensure safe use of the riflescope by following all instructions provided in this guide. The riflescope is designed for highperformance engagements and must be used accordingly.
- **Enhanced Recalls:** In the event of a product recall, follow the standardized recall notices and utilize any free remedies provided for dangerous products.
- **Online Shopping:** If purchased online, ensure that the platform meets all safety requirements as outlined by EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep the riflescope out of reach of minors.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact points associated with this product.
- **Rapid Alerts:** Stay informed about any updates on unsafe products via the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- **Avoid Eye Injury:** Always use eye protection when using the riflescope to prevent injury from recoil or accidental discharge.
- **Handle with Care:** The riflescope is a precise optical instrument. Handle it gently to avoid damage.
- **Avoid Extreme Conditions:** Do not expose the riflescope to extreme temperatures, moisture, or direct sunlight for extended periods.
- **Secure Mounting:** Ensure that the riflescope is securely mounted to the firearm to prevent detachment during use.
- **Check Zeroing:** Regularly check the zeroing of the riflescope to ensure accuracy and performance.
- **Use Appropriate Ammunition:** Only use ammunition that is compatible with the riflescope and your firearm to avoid malfunctions or damage.

## Instructions for Installation and Usage

### Installation

1. **Select the Mounting Base:** Choose a compatible mounting base for the riflescope that suits your firearm.
2. **Attach the Mounting Rings:** Securely attach the mounting rings to the base according to the manufacturer's instructions.
3. **Position the Riflescope:** Carefully place the riflescope in the mounting rings, ensuring it is level and aligned with the firearm.
4. **Tighten the Rings:** Gradually tighten the mounting rings to secure the riflescope in place. Avoid overtightening, which may damage the scope.
5. **Check Alignment:** After installation, check the alignment and make adjustments as necessary.

### Usage

1. **Adjusting the Magnification:** Rotate the magnification ring to select your desired level of zoom from 3x to 20x.

2. **Focusing the Reticle:** Use the side focus knob to adjust for parallax and ensure a clear view of the reticle.
3. **Using the Reticle Illumination:** If equipped, activate the illuminated reticle feature for improved visibility in lowlight conditions.
4. **Eye Relief:** Maintain a distance of approximately 90 mm from the eyepiece to your eye for optimal viewing and safety.
5. **Field of View:** Be aware of the field of view, which spans approximately 13.0–2.1 m at 100 m, to maintain situational awareness.

## Disposal Instructions

- **Environmental Considerations:** Dispose of the riflescope in accordance with local regulations regarding electronic waste and optical equipment.
- **Recycling:** If possible, recycle components of the riflescope to minimize environmental impact.
- **Hazardous Materials:** Be aware that some components may contain materials that require special handling. Consult local waste management authorities for guidance.

## Contact Information for Further Support

For any inquiries or further support regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the appropriate contact channels associated with this product. Ensure that you have the product details available for efficient assistance.

By following these safety instructions and guidelines, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)