

3-20x50 PM II Ultra Short - 3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [3-20x50 PM II Ultra Short LP TREMOR3 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015801
- Mfr. No.: 667-945-532-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537011371

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your riflescope. Please read and follow these guidelines carefully to maximize your experience and ensure compliance with EU safety regulations.

General Safety Guidelines

- Always handle the riflescope with care to avoid damage and ensure your safety.
- Ensure that the riflescope is mounted securely on your firearm before use.
- Never look directly at the sun or any bright light source through the riflescope to avoid permanent eye damage.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If any issues are detected, discontinue use immediately.
- Be aware of your surroundings and ensure that you have a clear and safe shooting area.
- Use the riflescope in accordance with local laws and regulations regarding firearms and shooting.

Specific Safety Precautions for Use

- **Eye Protection:** Always wear appropriate eye protection when using the riflescope.
- **Mounting:** Ensure that the riflescope is mounted according to the manufacturer's instructions to prevent it from loosening or shifting during use.
- **Parallax Adjustment:** Adjust the parallax setting properly to maintain accuracy and prevent eye strain.
- **Magnification Settings:** Start with lower magnification when familiarizing yourself with the scope, especially if you are inexperienced.
- **Light Conditions:** Be mindful of changing light conditions; adjust the brightness of the illuminated reticle as necessary.
- **Handling:** Avoid touching the lenses with your fingers to prevent smudging or scratching.

Instructions for Installation and Usage

1. Installation:

- Select a suitable mounting base that is compatible with your firearm.
- Align the riflescope with the mounting base, ensuring it is level and positioned for optimal eye relief.
- Securely tighten the mounting screws according to the manufacturer's specifications.

2. Usage:

- Before taking your first shot, ensure that the riflescope is properly zeroed.
- Adjust the magnification according to your shooting distance and conditions.
- Use the side parallax adjustment to finetune your focus based on the distance to your target.
- Maintain a stable shooting position to enhance accuracy.

Disposal Instructions

- Dispose of the riflescope and any packaging materials in accordance with local waste disposal regulations.

- Do not dispose of the riflescope in household waste. Instead, consider recycling options where available.

Contact Information for Further Support

For any safety inquiries or further support, please refer to the manufacturer's website or contact their customer service directly. It is important to have access to an EU-based contact for any safety concerns regarding the product.

By following these guidelines, you can ensure the safe and effective use of your 3-20x50 PM II Ultra Short riflescope. Your safety and the safety of others is paramount. Thank you for your attention to these important safety instructions.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk