

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI MSR2 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI MSR2 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015803
- Mfr. No.: 173-911-862-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063790

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety instructions and guidelines to ensure safe and effective use of your riflescope. Please read this document carefully before installation and use.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose.
- Keep the riflescope out of reach of children and vulnerable individuals.
- Regularly inspect the riflescope for any signs of damage or malfunction.
- Do not attempt to modify or disassemble the riflescope.
- Always follow local laws and regulations regarding the use of firearms and optics.
- Report any unsafe products or incidents to local authorities.

Specific Safety Precautions for Use

- Always ensure that the riflescope is securely mounted to the firearm before use.
- Avoid looking directly at the sun through the riflescope as this may cause permanent eye damage.
- Use the riflescope in accordance with the manufacturer's instructions to prevent accidents.
- Be aware of your surroundings and ensure that your shooting area is safe and free of obstructions.
- Use appropriate eye protection while shooting to safeguard against potential injuries.

Instructions for Installation and Usage

1. Installation

- Select a suitable firearm that is compatible with the 3-20x50 PM II Ultra Short.
- Use a mounting system that is appropriate for the 34 mm main tube diameter.
- Follow these steps for installation:
 - Ensure the firearm is unloaded and pointed in a safe direction.
 - Attach the mounting rings to the main tube of the riflescope.
 - Securely fasten the riflescope to the firearm using the mounting rings.
 - Adjust the position of the riflescope for optimal eye relief (approximately 90 mm).

2. Usage

- Before using the riflescope, ensure that it is properly zeroed for accuracy.
- Use the magnification adjustment to select the desired level of magnification (3-20x).
- Adjust the side parallax from approximately 25 m to infinity for clear viewing.
- Utilize the illuminated reticle options for improved visibility in lowlight conditions.
- Maintain a firm grip on the firearm while aiming and shooting.

Disposal Instructions

- Dispose of the riflescope in accordance with local regulations regarding electronic waste and optics.
- Do not dispose of the riflescope in regular household waste.
- Consider recycling options or returning the product to the manufacturer if available.

Contact Information for Further Support

For any safety inquiries, product support, or further information, please refer to the manufacturer's contact information provided with your purchase.

Thank you for your attention to these safety guidelines. Your safety and the safety of others is our top priority. Enjoy your shooting experience with the 3-20x50 PM II Ultra Short Riflescope!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk