

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI TREMOR5 1cm cw DT27 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI TREMOR5 1cm cw DT27 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015804
- Mfr. No.: 173-911-562-G9-E9
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063783

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe use of your new riflescope. Please read this manual carefully before using the product.

General Safety Guidelines

- **Product Safety:** Ensure safe handling and use of the riflescope. Be aware of risks associated with improper use.
- **Enhanced Recalls:** Stay informed about product recalls and safety notices.
- **Online Shopping:** When purchasing online, ensure the retailer complies with safety standards.
- **Special Consumer Focus:** Extra care should be taken when the product is used by or around children.
- **EU Contact Point:** For any safety inquiries, refer to the EU-based contact provided by the retailer.
- **Rapid Alerts:** Monitor the EU's Safety Gate platform for updates on unsafe products.

Specific Safety Precautions for Use

- **Handling:** Always handle the riflescope with care to avoid damage. Do not drop or subject the product to severe impacts.
- **Installation:** Ensure the riflescope is mounted securely on the firearm. Follow the manufacturer's instructions for mounting procedures.
- **Shooting Safety:** Always be aware of your surroundings and ensure a safe shooting environment. Use appropriate eye and ear protection when shooting.
- **Storage:** Store the riflescope in a dry and secure location when not in use. Keep out of reach of children.
- **Maintenance:** Regularly check for any signs of wear or damage. Clean the riflescope according to the manufacturer's guidelines.

Instructions for Installation and Usage

1. Mounting the Riflescope:

- Select a suitable mounting location on your firearm.
- Use the provided mounting rings and ensure they are tightened securely.
- Align the riflescope with the barrel of the firearm for optimal accuracy.

2. Adjusting the Settings:

- Adjust the magnification settings as needed for your shooting distance.
- Use the side parallax adjustment to ensure clarity at different ranges.

3. Using the Riflescope:

- Look through the eyepiece and adjust the focus if necessary.
- Ensure that the reticle is properly illuminated for visibility in low light conditions.
- Be aware of the field of view and exit pupil specifications for optimal performance.

4. Post-Shooting Care:

- After use, clean the lenses with a soft, lint-free cloth.

- Store the riflescope in its protective case to prevent scratches and damage.

Disposal Instructions

- **Environmental Considerations:** Do not dispose of the riflescope in regular household waste. Follow local regulations for the disposal of optical devices and electronic waste.
- **Recycling:** If possible, recycle components of the riflescope to minimize environmental impact. Contact local recycling facilities for proper disposal methods.

Contact Information for Further Support

For any further support or inquiries regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the contact information provided by your retailer. Ensure you have your purchase details ready for efficient assistance.

Thank you for prioritizing safety while enjoying your new riflescope. Happy shooting!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk