

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT35 MTC LT / ST ZC CT

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT35 MTC LT / ST ZC CT](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015812
- Mfr. No.: 173-911-862-F1-E8
- Colour: Black
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063707

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides important safety information and instructions to ensure the safe and effective use of your riflescope. Please read this guide carefully before using the product.

General Safety Guidelines

- Ensure that the riflescope is used only for its intended purpose as a precision optical device for firearms.
- Always handle firearms and optical devices with care and respect.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear. If you notice any issues, discontinue use and seek professional assistance.
- Follow all local laws and regulations regarding the use and ownership of firearms and optical devices.
- Store the riflescope in a safe and secure location when not in use.

Specific Safety Precautions for Use

- Do not look directly at the sun or other bright light sources through the riflescope, as this may cause permanent eye damage.
- Ensure that the riflescope is securely mounted to your firearm before use to prevent accidents.
- Be aware of your surroundings and ensure you have a clear line of sight before firing.
- Always use appropriate eye and ear protection when using firearms equipped with the riflescope.
- Avoid using the riflescope in extreme weather conditions that may impair visibility or affect its performance.
- Do not attempt to disassemble or modify the riflescope, as this may void the warranty and compromise safety.

Instructions for Installation and Usage

1. Installation:

- Ensure your firearm is unloaded and pointed in a safe direction.
- Mount the riflescope securely on the firearm's rail or base according to the manufacturer's instructions.
- Tighten all mounting screws to the recommended torque specifications to ensure stability.

2. Adjustment:

- Adjust the magnification by rotating the magnification ring until the desired level is achieved.
- Use the side parallax adjustment to set the parallax according to the distance of your target.
- Adjust the elevation and windage turrets as needed to zero the riflescope.

3. Usage:

- Always check your surroundings before aiming and firing.
- Use the reticle to aim at your target, ensuring proper alignment and focus.
- Maintain a proper shooting stance and grip on the firearm to ensure stability.

Disposal Instructions

- Dispose of the riflescope according to local regulations for electronic waste and optical devices.
- Do not dispose of the riflescope in regular household waste.
- Consider recycling options or returning the product to the manufacturer for proper disposal.

Contact Information for Further Support

For any safety inquiries or support related to the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact information provided with the product packaging.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your riflescope. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk