

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI P4FL 1cm cw DT27 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI P4FL 1cm cw DT27 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015814
- Mfr. No.: 173-945-972-G9-E9
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063899

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of your riflescope. It is designed to comply with the EU General Product Safety Regulation (GPSR) to protect consumers and enhance safety.

General Safety Guidelines

- Always handle the riflescope with care to prevent damage and ensure safety.
- Ensure that the riflescope is mounted securely on your firearm before use.
- Use the riflescope only as intended. Do not use it for any purpose other than its designed function.
- Keep the riflescope out of reach of children and individuals who may not understand its use and potential hazards.
- Regularly inspect the riflescope for any signs of wear or damage before use.
- If you notice any irregularities, such as loose parts or damage to the optics, discontinue use immediately and seek professional assistance.

Specific Safety Precautions for Use

- Always ensure that the firearm is pointed in a safe direction when adjusting or using the riflescope.
- Use appropriate eye protection while using the riflescope to prevent injury from recoil or debris.
- Be aware of your surroundings when using the riflescope, especially in outdoor settings.
- When adjusting the magnification or parallax settings, do so carefully to maintain control of the firearm.
- Avoid using the riflescope in extreme weather conditions that may affect its performance or your safety.
- Do not attempt to disassemble or modify the riflescope. Any alterations may void the warranty and compromise safety.

Instructions for Installation and Usage

Installation

1. **Select the Mounting Location:** Choose a suitable mounting location on your firearm that provides a comfortable shooting position.
2. **Attach the Mounting Rings:** Securely attach the appropriate mounting rings to the riflescope and align them with the mounting base on your firearm.
3. **Tighten the Screws:** Use the appropriate tools to tighten the mounting screws, ensuring that the riflescope is firmly in place.
4. **Check Alignment:** Verify that the riflescope is aligned correctly with the barrel of the firearm before proceeding.

Usage

1. **Adjusting Magnification:** Turn the magnification ring to select your desired level of zoom. Start with lower magnification for broader situational awareness.
2. **Parallax Adjustment:** If applicable, adjust the parallax setting according to the distance of your target for improved accuracy.
3. **Eye Relief:** Position your eye at the recommended eye relief distance (approximately 90 mm) to ensure a clear view and to prevent injury from recoil.
4. **Field of View:** Be aware of your field of view, which spans roughly 13.0-2.1 m at 100 m, to maintain situational awareness during use.
5. **Illuminated Reticle:** If your model has an illuminated reticle, activate it as needed for enhanced

visibility in lowlight conditions.

Disposal Instructions

- When disposing of the riflescope, follow local regulations regarding electronic waste and hazardous materials.
- Do not dispose of the riflescope in regular household waste.
- Consider recycling options or return programs that may be available in your area.

Contact Information for Further Support

For any safety inquiries or support related to your 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's contact point within the EU. Ensure you have the product details on hand for assistance.

Conclusion

By following these safety instructions and guidelines, you can ensure the safe and effective use of your 3-20x50 PM II Ultra Short Riflescope. Always prioritize safety and reach out for support if needed. Enjoy your shooting experience responsibly!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk