

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI P4FL 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015823
- Mfr. No.: 173-945-972-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063806

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for the 3-20x50 PM II Ultra Short Riflescope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Riflescope from Schmidt and Bender. This guide provides essential safety information and instructions for the proper use and maintenance of your riflescope. Please read this guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure that all users of this riflescope are aware of and understand the safety guidelines outlined in this manual.
- Always handle the riflescope with care to avoid damage.
- Use the riflescope only for its intended purpose, which is for mounting on firearms.
- Keep the riflescope out of reach of children and unauthorized users.
- Regularly inspect the riflescope for any signs of damage or wear before use.
- If you notice any issues, do not use the riflescope until it has been inspected by a qualified technician.

Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded when attaching or detaching the riflescope.
- Be aware of your surroundings and ensure that you have a clear line of sight before aiming.
- Avoid looking directly at the sun through the riflescope, as it may cause permanent eye damage.
- Use appropriate eye protection when shooting to prevent injury.
- Ensure that the riflescope is securely mounted to the firearm to prevent it from becoming dislodged during use.
- Do not exceed the recommended magnification or usage limits as specified in the product specifications.

Instructions for Installation and Usage

Installation

1. Mounting the Riflescope:

- Ensure the firearm is unloaded.
- Select a suitable mounting location on the firearm.
- Securely attach the riflescope using the appropriate mounting rings and base.
- Tighten all screws to the manufacturer's specifications to ensure a secure fit.

2. Adjusting the Riflescope:

- Set the magnification to the desired level before use.
- Adjust the parallax setting according to the shooting distance.
- Ensure the reticle is properly aligned for accurate aiming.

Usage

- **Adjusting the Focus:**
 - Look through the riflescope and adjust the eyepiece focus until the reticle is clear.
- **Shooting:**
 - Assume a stable shooting position.
 - Aim at the target and gently squeeze the trigger while maintaining focus on the reticle.

- **PostUse Care:**

- Clean the lenses with a soft, lintfree cloth to remove any dirt or debris.
- Store the riflescope in a dry, cool place when not in use.

Disposal Instructions

- Dispose of the riflescope and any packaging materials in accordance with local regulations.
- Do not dispose of the riflescope in regular household waste.
- If the product is damaged or no longer in use, consider recycling options where available.

Contact Information for Further Support

For any safety inquiries or support regarding the 3-20x50 PM II Ultra Short Riflescope, please refer to the manufacturer's official website or customer service channels.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk