

3-20x50 PM II Ultra Short - 5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000

[Optics & Mounting](#) > [Scopes](#) > [Rifle Scopes](#)

The 3-20×50 PM II Ultra Short from Schmidt and Bender is a compact yet powerful riflescope engineered for high-performance engagements across medium to long distances. With its 3–20× magnification range and a 50 mm objective lens, it offers outstanding optical clarity and flexibility in a streamlined form factor.

Constructed around a robust 34 mm main tube, it maintains a length of approximately 340 mm and weighs around 900 g, striking an excellent balance between size and performance—ideal for mounting on compact platforms without compromising optics.

Its field of view spans roughly 13.0–2.1 m at 100 m, providing broad situational awareness at lower magnification and refined detail at the high end. The exit pupil ranges around 11.4–2.5 mm, and the eye relief is approximately 90 mm, supporting comfortable shooting in varied positions while maintaining strong light-gathering even as light fades.

Advanced features include first focal plane (FFP) illuminated reticle options, side parallax adjustment (from approx. 25 m to infinity), and a low-profile elevation turret optimized for tactical precision.

Key Specifications:

Magnification: 3–20×
Objective Lens Diameter: 50 mm
Main Tube Diameter: 34 mm
Field of View: approx. 13.0–2.1 m @100 m
Exit Pupil: approx. 11.4–2.5 mm
Eye Relief: approx. 90 mm
Length: approx. 340 mm
Weight: approx. 900 g

With precision optics, compact build, and rugged mechanical design, the 3-20×50 PM II Ultra Short is built for serious shooters who demand premium performance in a versatile package.

Attributes

- Name: [5-20x50 PM II Ultra Short LPI MSR2 1cm ccw DT35 MTC LT / ST ZC CT RAL 8000](#)
- Manufacturer: [SCHMIDT U. BENDER](#)
- Product no.: EU2015824
- Mfr. No.: 173-945-862-F1-E8
- Colour: FDE
- Delivery weight: 2kg
- Shipping height: 100mm
- Shipping width: 100mm
- Shipping length: 450mm
- EAN: 4060537063820

NO IMAGE
AVAILABLE

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for 3-20x50 PM II Ultra Short Riflescope](#)
- [About Us](#)

Safety Instruction Guide for 3-20x50 PM II Ultra Short Rifle Scope

Introduction

Thank you for choosing the 3-20x50 PM II Ultra Short Rifle Scope from Schmidt and Bender. This guide provides essential safety instructions to ensure the safe and effective use of your rifle scope. Please read this manual carefully before installation and use to maximize your safety and performance.

General Safety Guidelines

- Ensure that all users are familiar with the safe handling and operation of firearms and optics.
- Always treat the rifle scope as if it is loaded, even when it is not.
- Keep the rifle scope out of reach of children and unauthorized users.
- Regularly inspect the rifle scope for any signs of damage or wear.
- Store the rifle scope in a cool, dry place when not in use.
- Follow all local laws and regulations regarding the use of firearms and optics.

Specific Safety Precautions for Use

- **Magnification Use:** Be aware that higher magnification can reduce the field of view and may affect target acquisition. Practice using the scope at various magnifications to become accustomed to its performance.
- **Eye Relief:** Maintain a safe distance from the eyepiece to prevent injury. The eye relief is approximately 90 mm; ensure your eye is positioned accordingly.
- **Parallax Adjustment:** Use the side parallax adjustment feature to ensure accurate aiming, particularly at varying distances.
- **Illuminated Reticle:** Adjust the brightness of the illuminated reticle according to the lighting conditions to avoid eye strain.
- **Weather Conditions:** Avoid using the rifle scope in extreme weather conditions that may affect its performance or your safety.

Instructions for Installation and Usage

1. Installation:

- Mount the rifle scope securely to your firearm using appropriate rings and bases.
- Ensure the main tube is aligned with the bore of the firearm for optimal accuracy.
- Tighten all mounting screws to the manufacturer's specifications.

2. Usage:

- Before taking your first shot, familiarize yourself with the adjustment turrets for windage and elevation.
- Adjust the magnification ring to your desired level based on the distance to your target.
- Use the parallax adjustment to ensure the reticle and target are in focus.
- Practice shooting from various positions to gain confidence in using the rifle scope effectively.

Disposal Instructions

- Dispose of the rifle scope responsibly and in accordance with local regulations.
- If the rifle scope is damaged beyond repair, consider recycling the materials where possible.
- Do not dispose of the rifle scope in general waste or landfill.

Contact Information for Further Support

For any safety inquiries or concerns regarding your riflescope, please contact the manufacturer or an authorized dealer. Ensure that you have the product details at hand for efficient assistance.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your 3-20x50 PM II Ultra Short Riflescope. Always prioritize safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk